POWERING PROFESSIONALS SINCE 1898

2013/14

AEG POWERTOOLS

Contents

AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

CORDLESS SYSTEMS	**06 – 27**
18 V POWER	10 – 15
14,4 V POWER	16 – 17
12 V POWER	18 – 24
3,6 V POWER	25 – 25
FLASHLIGHTS/BATTERY LAMPS	25 – 25
BATTERIES & CHARGERS	26 – 27
HAMMER SYSTEMS	**28 – 37**
12 V CORDLESS HAMMER	30 – 30
18 V CORDLESS HAMMER	30 – 30
ROTARY HAMMERS	31 – 31
COMBI HAMMERS	31 – 36
CHIPPING HAMMERS	34 – 35
LARGE DEMOLITION HAMMERS	36 – 36
DRILLING SYSTEMS	**38 – 44**
ROTARY DRILLS	40 – 40
PERCUSSION DRILLS	41 – 43
DIAMOND DRILLS	44 – 44
WALL CHASERS	44 – 44
SCREWDRIVERS	45 – 45
METALWORKING	**46 – 59**
SMALL ANGLE GRINDERS	49 – 53
LARGE ANGLE GRINDERS	54 – 56
DIE GRINDERS	57 – 57
POLISHER	58 – 58
RIGHT ANGLE SANDER	58 – 58
ABRASIVE METAL CHOPSAW	59 – 59
WOODWORKING	**60 – 74**
ROUTERS	62 – 63
PLANER	63 – 63
JIGSAWS	64 – 65
CIRCULAR SAWS	66 – 67
RECIPROCATING SAWS	68 – 68
SANDERS	69 – 70
TABLE SAW	71 – 71
MITRE SAW	72 – 72
MITRE SAW LEGSTAND	72 – 72
DUST EXTRACTION	73 – 73
HEAT GUNS	74 – 74
ACCESSORIES	**75 – 85**

AEG POWERTOOLS

Features Key

FIXTEC System
For changing accessories in seconds.

Keyless Safety Guard
Safety guard adjustment without the use of a tool.

Impact Driver
For heavy duty screwdriving applications.

Anti-Vibration-System
Significantly reduces vibration by up to 50%.

Soft Hammer Mode
Reduces blow energy for increased control.

HEX ¼"
¼" quick release hex fitment.

Safety Clutch
Protects user and machine if a drill bit should jam.

2-Speed Gear
2-speed gearbox, for optimum speed to suit application.

Pendulum Action
For a faster, more aggressive cut.

Dust Extraction
Integrated dust extraction for a clean working environment.

Drill Only
Single mode – rotary drilling.

Kitbox
Heavy duty kitbox.

Electronics
With variable speed preselection, soft start, constant speed and overload protection.

Drill And Hammer Drill
2 mode – rotary and rotary hammer drilling.

Kitbag
Heavy duty kitbag.

L.E.D.
For workplace illumination.

Chisel And Hammer Drill
2 mode – rotary hammer drill with chipping/ demolition function.

Crosscut Capacity
Maximum crosscut capacity of saw.

Metal Chuck
For enhanced durability.

Combi Hammer
3 mode – rotary and rotary hammer drilling with chiselling/demolition function.

Mitre Saw Blade Laser
Projects the cut line onto material.

Rotatable Handle
Provides optimum comfort during grinding and cutting.

Chisel Drill
Chiselling/demolition machine.

Mitre Capacity
Maximum mitre angle right and left.

Diamond System
Designed for maximum performance when used with diamond accessories.



Hook And Loop
Easy sandpaper attachment without the clamps.

Bevel Capacity
Maximum bevel angle right and left.

POWERING PROFESSIONALS SINCE 1898

Since being founded, **AEG POWERTOOLS** has been leading the way in new product development. By introducing the first transportable drilling machines in 1898, portable powertools were born. Over 100 years later AEG are still offering the professional user innovative, powerful solutions...

PROUD PAST...
EXCITING FUTURE...

AEG
POWERTOOLS

AEG
18v
PRO
18v LITHIUM ION

TOTAL CORDLESS POWER

AEG POWERTOOLS offer today's professional user a wide range of innovative, powerful cordless solutions that are capable of performing in the toughest conditions.

THE CORDLESS SYSTEM RANGE

18 V POWER
14,4 V POWER
12 V POWER
3,6 V POWER
BATTERIES & CHARGERS

AEG POWERTOOLS

AEG

The complete Lithium-Ion range

18v PRO LiTHIUM ION

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Split into compact and heavy duty products, the AEG POWERTOOLS 18 V Pro Lithium-Ion range offers the power and performance required for more substantial applications, but offers the flexibility of more compact units with 1,5 Ah batteries, or heavy duty products using 3,0 Ah batteries.

Products in this range:

New microtexture grip with LED trigger switch

New battery fuel gauge

POWERED BY PRO LiTHIUM ION TECHNOLOGY

14.4v PRO Lithium ion

The 14,4 V Pro Lithium-Ion range from AEG POWERTOOLS strike a balance between ergonomics, comfort and power. Slightly bigger and heavier than the 12 V range, they offer more power and run time, but are still lighter than their 18 V counterparts.

Products in this range:

12v PRO Lithium ion

The AEG POWERTOOLS range of 12 V Pro Lithium-Ion products are ideal for applications which require a lightweight ultracompact unit. The Pro Lithium cells still provide optimum power to suit this type of task, and also benefit from a 30 minute charge time, and have overload protection built into the product to ensure maximum durability of the battery and the tool.

Products in this range:

All batteries and charger are fully backwards compatible

18 V PREMIUM HAMMERDRILL/DRIVER

POWER & PERFORMANCE

BSB 18 Li

Features

- New high performance open frame motor
- Compact & powerful for high torque applications
- 70 Nm maximum torque delivers complete power
- Full metal gearbox and housing for superior durability
- 2-speeds – 0–450/0–1600 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm full metal Rohm keyless chuck, with spindle lock
- LED – for work place illumination
- 3 mode selector – ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 3,0 Ah**
Charger	**30 min***
Weight with battery	**2,5 kg**
Drilling wood/metal/masonry	**55/13/16 mm**

Chuck	**1,5–13 mm**
Max torque	**70 Nm**
No load speed	**0–450/0–1600 rpm**
Percussion rate	**7200–25.600 bpm**
Voltage	**18 V**

Standard Equipment – 2 x batteries, charger, side handle and kitbox

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE

18v PRO LITHIUM ION

2.5kg | 70 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BSB 18 Li-302C **Article No.** 4935 4284 50 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132003

18 V COMPACT HAMMERDRILL/DRIVER

COMPACT POWER

BSB 18C Li

ALSO AVAILABLE: **3,0 Ah Li-Ion version**

Features

- New 4 poles frameless motor and compact gearbox
- Compact & powerful for high torque applications
- Only 202 mm in length
- 51 Nm (1,5 Ah) / 60 Nm (3,0 Ah) maximum torque delivers complete power
- 2-speeds – 0–450/0–1650 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm keyless chuck, with spindle lock
- LED – for work place illumination
- 3 mode selector – ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,8 kg**
Drilling wood/metal/masonry	**45/13/14 mm**

Chuck	**1,5–13 mm**
Max torque	**51 Nm**
No load speed	**0–450/0–1650 rpm**
Percussion rate	**5850–21.450 bpm**
Voltage	**18 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE

18v PRO LITHIUM ION

1.8kg | 51 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BSB 18C Li-152C **Article No.** 4935 4284 35 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132041
Cat No. BSB 18C Li-302C **Article No.** 4935 4284 30 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132027

* Charge times based on 1,5 Ah Li-Ion battery

18 V HAMMERDRILL/DRIVER — BSB 18 G2 Li

Features

- Compact & powerful for completion of all jobsite applications
- 50 Nm maximum torque delivers complete power
- 2 speeds – 0–400/0–1500 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve full metal chuck
- 3 mode selector – ease of use between functions
- Built in fuel gauge
- LED – for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**60 min***
Weight with battery	**1,9 kg**
Drilling wood/metal/masonry	**34/13/12 mm**

Chuck	**1,5–13 mm**
Max torque	**50 Nm**
No load speed	**0–400/0–1500 rpm**
Voltage	**18 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

18V PRO LITHIUM ION

NEW

1.9kg | 50 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BSB 18 G2 Li-152C **Article No.** 4935 4339 70 **Version.** 2 x 1,5 Ah Li-Ion batteries, 60 min* charger **EAN No.** 4002395134489

18 V DRILL/DRIVER — BS 18 G2 Li

Features

- Compact & powerful for completion of all jobsite applications
- 50 Nm maximum torque delivers complete power
- 2-speeds – 0–400/0–1500 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve full metal chuck
- Built in fuel gauge
- LED – for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**60 min***
Weight with battery	**1,8 kg**
Drilling metal/wood	**13/34 mm**
Chuck	**1,5–13 mm**

Max torque	**50 Nm**
No load speed	**0–400/0–1500 rpm**
Voltage	**18 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

18V PRO LITHIUM ION

NEW

1.8kg | 50 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BS 18 G2 Li-152C **Article No.** 4935 4339 50 **Version.** 2 x 1,5 Ah Li-Ion batteries, 60 min* charger **EAN No.** 4002395134441

* Charge times based on 1,5 Ah Li-Ion battery

18 V ULTRA COMPACT DRILL/DRIVER

COMPACT POWER

BS 18C Li

ALSO AVAILABLE: **3,0 Ah Li-Ion version**

Features

- New 4 poles frameless motor and compact gearbox
- Small, compact & powerful for high torque applications
- Only 186 mm in length
- 51 Nm (1,5 Ah) / 60 Nm (3,0 Ah) maximum torque delivers complete power
- 2-speeds – 0–450/0–1650 rpm
- Integrated clutch and chuck for a more compact design
- LED for work place illumination
- Forward and reverse
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,8 kg**
Drilling wood/metal	**45/13 mm**
Chuck	**1,5–13 mm**

Max torque	**51 Nm**
No load speed	**0–450/0–1650 rpm**
Voltage	**18 V**

Standard Equipment – 1 x double ended bit, 2 x batteries, charger and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

18V PRO LITHIUM ION

1.8kg | 51 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BS 18C Li-152C **Article No.** 4935 4284 15 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132096
Cat No. BS 18C Li-302C **Article No.** 4935 4284 10 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132089

18 V ULTRA COMPACT IMPACT DRIVER

COMPACT POWER

BSS 18C Li

ALSO AVAILABLE: **3,0 Ah Li-Ion version and 0-version**

Features

- Ultra compact, well balanced impact driver
- Only 145 mm overall length
- 158 Nm maximum torque
- Delivers up to 3100 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- ¼" Hex bit reception
- Built in LED illuminates work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**2,0 kg**
Max torque	**158 Nm**
No load speed	**0–2400 rpm**

Impact rate	**0–3100 ipm**
Tool reception	**¼" Hex**
Voltage	**18 V**

Standard Equipment – 1 x single PZ2 bit, 2 x batteries, charger and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

18V PRO LITHIUM ION

2kg | 158 Nm | 1/4"

Cat No. BSS 18C Li-152C **Article No.** 4935 4283 95 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132133
Cat No. BSS 18C Li-302C **Article No.** 4935 4284 00 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132126
Cat No. BSS 18C-0 **Article No.** 4935 4284 05 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395132140

* Charge times based on 1,5 Ah Li-Ion battery

18 V SDS-PLUS HAMMER

POWER & PERFORMANCE

BBH 18 Li

ALSO AVAILABLE: **0-version**

Features

- L-shape SDS hammer for drilling and fixing into concrete up to 24 mm
- 2,3 Joule impact energy delivers high performance
- Rotary stop for light chiselling applications
- Hammer action stop for rotary drilling in wood and metal
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 3,0 Ah**
Charger	**30 min***
Weight with battery	**3,5 kg**
Drilling concrete/steel/wood	**24/13/30 mm**

Impact energy	**2,3 J EPTA**
No load speed	**1400 rpm**
Blows per minute	**0–4200 bpm**
Voltage	**18 V**

Standard Equipment – 2 x battery, charger and kitbox

AEG 3 YEARS WARRANTY · GARANTIE POWERTOOLS

18V PRO LITHIUM ION

3.5kg | 2.3 Joule | SAFETY | SDS PLUS

Cat No. BBH 18 Li-302C **Article No.** 4935 4082 75 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132751
Cat No. BBH 18-0 **Article No.** 4935 4083 30 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395132744

18 V PENDULUM ACTION RECIPROCATING SAW

POWER & PERFORMANCE

BUS 18 Li

ALSO AVAILABLE: **0-version**

Features

- Pendulum action for increased performance
- 3600 strokes per minute and 19 mm stroke length for fast cutting applications
- Robust bladeclamp for demolition applications
- FIXTEC for fast and easy keyless blade change
- Adjustable shoe
- Saw blade can be turned 180° for various applications
- Variable speed trigger
- Soft-grip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 3,0 Ah**
Charger	**30 min***
Weight with battery	**3,5 kg**

Stroke length	**19 mm**
Strokes per minute	**0–3600 spm**
Voltage	**18 V**

Standard Equipment – 2 x blades, 2 x batteries, charger and kitbox

AEG 3 YEARS WARRANTY · GARANTIE POWERTOOLS

18V PRO LITHIUM ION

3.5kg | 0–3600/min SPM | 19 mm | FIX TEC

Cat No. BUS 18 Li-302C **Article No.** 4935 4283 65 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132157
Cat No. BUS 18-0 **Article No.** 4935 4313 70 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395132805

* Charge times based on 1,5 Ah Li-Ion battery

18 V HEAVY DUTY CIRCULAR SAW

POWER & PERFORMANCE

BKS 18 Li

ALSO AVAILABLE: **0-version**

Features

- Compact, light and well balanced
- Extremely fast cutting speed of 5000 rpm
- Magnesium base and upper guard for durability
- Large 50° bevel capacity
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 3,0 Ah**	No load speed	**5000 rpm**
Charger	**30 min***	Cutting depth at 45°	**0–41 mm**
Weight with battery	**3,4 kg**	Cutting depth at 90°	**0–54 mm**
Saw blade Ø	**165 mm**	Voltage	**18 V**
Arbor	**15,87 mm (⅝")**		
Bevel capacity	**50°**		

Standard Equipment – 2 x batteries, charger, 165 mm TCT blade, side fence and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

18v PRO LITHIUM ION



Cat No. BKS 18 Li-302C **Article No.** 4935 4283 70 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132164
Cat No. BKS 18-0 **Article No.** 4935 4313 75 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395132812

18 V HEAVY DUTY JIGSAW

BST 18X-0

Features

- Pendulum action for increased cutting performance
- Metal gearbox for extended durability
- Professional, die-cast aluminium base plate
- Patented FIXTEC system for fast keyless blade change
- Variable speed trigger
- Ergonomic soft-grip for comfortable use
- Electronic motor brake

Specification

Stroke	**26 mm**	Cutting depth in soft wood	**80 mm**
No load stroke rate	**0–2050 spm**	Voltage	**18 V**
Weight with battery	**3,5 kg**		
Bevel cutting angle	**to 45°**		

Standard Equipment – Plastic shoe cover, anti splintering device, 2 x blades

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. BST 18X-0 **Article No.** 4935 4131 30 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395197460

* Charge times based on 1,5 Ah Li-Ion battery

18 V HEAVY DUTY ANGLE GRINDER

BEWS 18-125

ALSO AVAILABLE: **with disc Ø 115 mm**
ALSO AVAILABLE: **0-versions**

Features

- Compact and powerful cordless angle grinder
- Overload protection with LED warning
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Fast and tool-free disc change with patented FIXTEC nut
- Built in fuel gauge
- AEG Pro Lithium-Ion battery technology for maximum durability of battery and tool

Specification

No. of batteries	**2 x 3,0 Ah**
Charger	**30 min***
Weight with battery	**2,5 kg**
No load speed	**9000 rpm**
Cutting depth Ø 115 mm	**28 mm**
Ø 125 mm	**33 mm**
Spindle thread	**M14**
Voltage	**18 V**

Standard Equipment – Grinding keyless guard, 2 batteries 18 V 3,0 Ah Pro Lithium-Ion, 30 min charger, FIXTEC nut, flange nut, AVS side handle and kitbox

AEG 3 YEARS POWERTOOLS WARRANTY

18V PRO LITHIUM ION

NEW

Cat No. BEWS 18-115 Li-302C **Article No.** 4935 4319 31 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132966
Cat No. BEWS 18-115-0 **Article No.** 4935 4333 19 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395133222
Cat No. BEWS 18-125 Li-302C **Article No.** 4935 4319 91 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132973
Cat No. BEWS 18-125-0 **Article No.** 4935 4319 98 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395132980

2.5kg | 125 mm | 115 mm | 9000 RPM | AVS | FIX TEC

* Charge times based on 1,5 Ah Li-Ion battery

14,4 V COMPACT HAMMERDRILL/DRIVER

COMPACT POWER

BSB 14C Li

Features

- 3 mode selector
- Powerful new frameless motor delivering 43 Nm (1,5 Ah) / 47 Nm (3,0 Ah) maximum torque
- 2 speeds – 0–400/0–1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

ALSO AVAILABLE: **3,0 Ah Li-Ion version**

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,8 kg**
Drilling wood/metal/masonry	**45/13/14 mm**

Chuck	**1,5–13 mm**
Max torque	**43 Nm**
No load speed	**0–400/0–1500 rpm**
Voltage	**14,4 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE

14.4v PRO LITHIUM ION

1.8kg | 43 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BSB 14C Li-152C **Article No.** 4935 4284 45 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132072
Cat No. BSB 14C Li-302C **Article No.** 4935 4284 40 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132065

14,4 V HAMMERDRILL/DRIVER

BSB 14 G2 Li

Features

- Compact & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power (32 Nm NiCd)
- 2 speeds – 0–400/0–1500 rpm (0–1400 rpm NiCd)
- 24-stage torque adjustment
- FIXTEC 13 mm single sleeve chuck with full metal jaws (10 mm NiCd)
- 3 mode selector – ease of use between functions
- LED – for work place illumination (lithium version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool**

ALSO AVAILABLE: **NiCd Version**

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**60 min***
Weight with battery	**1,8 kg**
Drilling metal/wood/masonry	**13/32/8 mm**

Chuck	**1,5–13 mm**
Max torque	**36 Nm**
No load speed	**0–400/0–1500 rpm**
Voltage	**14,4 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE

14.4v PRO LITHIUM ION

NEW

1.8kg | 36 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BSB 14 G2 LI-152C **Article No.** 4935 4319 90 **Version.** 2 x 1,5 Ah Li-Ion batteries, 60 min* charger **EAN No.** 4002395132997
Cat No. BSB 14 G2 NC-142C **Article No.** 4935 4319 89 **Version.** 2 x 1,4 Ah NiCd batteries, 60 min* charger **EAN No.** 4002395195107

* Charge times based on 1,5 Ah Li-Ion battery ** Lithium-Ion products only

AEG

14,4 V COMPACT DRILL/DRIVER

COMPACT POWER

BS 14C Li

Features

- Ultra compact drill/driver measuring 186 mm in length
- Powerful new frameless motor delivering 43 Nm (1,5 Ah) / 47 Nm (3,0 Ah) maximum torque
- 2 speeds – 0–400/0–1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

ALSO AVAILABLE: **3,0 Ah Li-Ion version**

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,7 kg**
Drilling metal/wood	**13/45 mm**
Chuck	**1,5–13 mm**

Max torque	**43 Nm**
No load speed	**0–400/0–1500 rpm**
Voltage	**14,4 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

14.4v PRO LITHIUM ION

1.7kg | 43 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BS 14C Li-152C **Article No.** 4935 4284 25 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132119
Cat No. BS 14C Li-302C **Article No.** 4935 4284 20 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132102

14,4 V DRILL/DRIVER

BS 14 G2 Li

Features

- Compact & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power (32 Nm NiCd)
- 2-speeds – 0–400/0–1500 rpm (0–1400 rpm NiCd)
- 24-stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve chuck with full metal jaws (10 mm NiCd)
- Built in fuel gauge
- LED – for work place illumination (lithium version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool**

ALSO AVAILABLE: **NiCd version**

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**60 min***
Weight with battery	**1,7 kg**
Drilling metal/wood	**13/32 mm**
Chuck	**1,5–13 mm**

Max torque	**36 Nm**
No load speed	**0–400/0–1500 rpm**
Voltage	**14,4 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

14.4v PRO LITHIUM ION

NEW

1.7kg | 36 Nm | 13 mm | 1-2 | FIX TEC

Cat No. BS 14 G2 LI-152C **Article No.** 4935 4319 88 **Version.** 2 x 1,5 Ah Li-Ion batteries, 60 min* charger **EAN No.** 4002395195084
Cat No. BS 14 G2 NC-142C **Article No.** 4935 4319 87 **Version.** 2 x 1,4 Ah NiCd batteries, 60 min* charger **EAN No.** 4002395195077

* Charge times based on 1,5 Ah Li-Ion battery ** Lithium-Ion products only

12 V HAMMERDRILL/DRIVER

BSB 12 G2 NiCd

Features

- Compact & powerful for completion of all jobsite applications
- 30 Nm maximum torque delivers complete power
- 2 speeds – 0–350/0–1350 rpm
- 24-stage torque adjustment
- FIXTEC 10 mm single sleeve chuck with full metal jaws
- 3 mode selector – ease of use between functions

Specification

No. of batteries	**2 x 1,4 Ah**
Charger	**60 min***
Weight with battery	**1,7 kg**
Drilling metal/wood/masonry	**10/30/6 mm**

Chuck	**1,5–10 mm**
Max torque	**30 Nm**
No load speed	**0–350/0–1350 rpm**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

NEW

1.7kg | 30 Nm | 10 mm | 1-2 | FIX TEC

Cat No. BSB 12 G2 NC-142C **Article No.** 4935 4319 86 **Version.** 2 x 1,4 Ah NiCd batteries, 60 min* charger **EAN No.** 4002395195053

12 V DRILL/DRIVER

BS 12 G2 NiCd

Features

- Compact & powerful for completion of all jobsite applications
- 30 Nm maximum torque delivers complete power
- 2-speeds – 0–350/0–1350 rpm
- 24-stage torque adjustment for complete control
- FIXTEC 10 mm single sleeve chuck with full metal jaws

Specification

No. of batteries	**2 x 1,4 Ah**
Charger	**60 min***
Weight with battery	**1,6 kg**
Drilling metal/wood	**10/30 mm**
Chuck	**1,5–10 mm**

Max torque	**30 Nm**
No load speed	**0–350/0–1350 rpm**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

NEW

1.6kg | 30 Nm | 10 mm | 1-2 | FIX TEC

Cat No. BS 12 G2 NC-142C **Article No.** 4935 4319 85 **Version.** 2 x 1,4 Ah NiCd batteries, 60 min* charger **EAN No.** 4002395195060

* Charge times based on 1,5 Ah Li-Ion battery

3 BODIES, 7 HEADS, 100+ APPLICATIONS

AEG POWERTOOLS
POWERING PROFESSIONALS SINCE 1898

MULTITOOL HEAD
OMNI-MT
Article No. 4935 4407 00
EAN No. 4002395134717

IMPACT DRIVER HEAD
OMNI-IH
Article No. 4935 4407 30
EAN No. 4002395134779

HAMMER HEAD
OMNI-HH
Article No. 4935 4407 10
EAN No. 4002395134731

RIGHT ANGLE DRILLING HEAD
OMNI-RAD
Article No. 4935 4407 05
EAN No. 4002395134724

RATCHED HEAD
OMNI-IR
Article No. 4935 4407 20
EAN No. 4002395134755

OMNIPRO 12 V BASE UNIT

OMNI12C

BEST FOR ERGONOMICS

The OMNI12C offers users the ultimate in ergonomics. The light weight, compact body is ideal for working in tight spaces.

FEATURES

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- LED for work place illumination
- Small and compact for working in tight environments

SPECIFICATIONS	OMNI12C
Battery voltage	12 V
No load oscillation rate	20000 min^{-1}
Oscillation angle left / right	1,5°/1,5₄

PRO LITHIUM ION TECHNOLOGY

OMNIPRO 18 V BASE UNIT

OMNI18C

BEST FOR POWER

The OMNI18C gives more power and more runtime than the 12 V power base, whilst keeping the advantage of cordless portability.

FEATURES

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- Optimum power to weight ratio
- LED for work place illumination
- Built in fuel gauge

SPECIFICATIONS	OMNI18C
Battery voltage	18 V
No load oscillation rate	20000 min^{-1}
Oscillation angle left / right	1,5°/1,5₄

PRO LITHIUM ION TECHNOLOGY

ALL HEADS AND BODIES

ONE SYSTEM

OMNIPRO is a revolutionary system allowing users to tailor their system depending on application. All heads and bodies are interchangeable to select the best balance of power base and head for ultimate productivity.

JIGSAW HEAD
OMNI-JS
Article No. 4935 4407 15
EAN No. 4002395134748

RECIPROCATING SAW HEAD
OMNI-RH
Article No. 4935 4407 25
EAN No. 4002395134762

CHOOSE YOUR SYSTEM

OMNIPRO AC BASE UNIT

OMNI300

The OMNI300 is the choice for longer applications where a cordless machine is not required, with all the power expected from an AC machine.

FEATURES

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- LED for work place illumination
- Mains machine

SPECIFICATIONS	OMNI300
Power	300 W
No load oscillation rate	20000 min^{-1}
Oscillation angle left / right	1,5°/1,5₄

BEST FOR RUNTIME

OMNI12C

Cat No. OMNI12C LI-152C KIT1
Article No. 4935 4407 65
Version. 12 V power handle, multitool head, accessories, 2 x 1.5 Ah batteries, charger, bag
EAN No. 4002395134809

Cat No. OMNI12C LI-152B KIT2
Article No. 4935 4407 70
Version. 12 V power handle, multitool head, right angle drill head, accessories, 2 batteries, charger, bag
EAN No. 4002395134816

Cat No. OMNI12C LI-152B KIT3
Article No. 4935 4407 80
Version. 12 V power handle, multitool head, jigsaw head, accessories, 2 batteries, charger, bag
EAN No. 4002395134830

OMNI18C

Cat No. OMNI18C LI-152C KIT1
Article No. 4935 4406 44
Version. 18 V power handle, multitool head, accessories, 2 x 1.5 Ah batteries, charger, bag
EAN No. 4002395134632

Cat No. OMNI 18C-0 KIT1
Article No. 4935 4406 45
Version. 18 V power handle, multitool head, no batteries or charger supplied (accessories are also delivered with the 0 version)
EAN No. 4002395134649

OMNI300

Cat No. OMNI300 KIT1
Article No. 4935 4317 90
Version. AC Multitool, multitool head, accessories, soft bag
EAN No. 4002395194995

ARE INTERCHANGEABLE

12 V 2-SPEED ULTRA COMPACT PERCUSSION DRILL

COMPACT POWER

BSB 12C2 Li

Features

- Compact hammer drill/driver measuring only 192 mm
- Built in fuel gauge
- Belt clip
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- 3 mode selector – ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,2 kg**
Drilling metal/wood/masonry	**10/20/10 mm**

Percussion rate	**22.500 bpm**
Chuck	**1,5–10 mm**
Max torque	**32 Nm**
No load speed	**0–400/0–1500 rpm**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger and bag

AEG POWERTOOLS 3 YEARS WARRANTY

12V PRO LITHIUM ION

NEW

1.2kg | 32 Nm | 10 mm | 1-2

Cat No. BSB 12C2 LI-152B **Article No.** 4935 4339 80 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395134519

12 V 2-SPEED ULTRA COMPACT DRILL/DRIVER

COMPACT POWER

BS 12C2 Li

Features

- Compact pocket drill/screwdriver measuring only 168 mm
- 17-stage torque adjustment plus additional drilling stage
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,1 kg**
Drilling steel/soft wood	**10/20 mm**
Chuck	**1,5–10 mm**

Max torque	**34 Nm**
No load speed	**0–350/0–1500 rpm**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG POWERTOOLS 3 YEARS WARRANTY

12V PRO LITHIUM ION

1.1kg | 34 Nm | 10 mm | 1-2

Cat No. BS 12C2 LI-152C **Article No.** 4935 4283 75 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132171
Cat No. BS 12C2 Li-151B **Article No.** 4935 4283 85 **Version.** 1 x 1,5 Ah Li-Ion battery, 30 min* charger **EAN No.** 4002395132195

* Charge times based on 1,5 Ah Li-Ion battery

12 V ULTRA COMPACT DRILL/DRIVER

COMPACT POWER

BS 12C Li

Features

- Compact pocket drill/screwdriver measuring only 161 mm
- Built in fuel gauge
- 17-stage torque adjustment plus additional drilling stage
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surfaces
- Overload protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,0 kg**
Drilling steel/soft wood	**10/20 mm**
Chuck	**1,5–10 mm**

Max torque	**18,5 Nm**
No load speed	**0–575 rpm**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger and bag

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

12V PRO LITHIUM ION

NEW

1kg | 18.5 Nm | 10 mm

Cat No. BS 12C Li-152B **Article No.** 4935 4339 02 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395126354
Cat No. BS 12C Li-151B **Article No.** 4935 4339 01 **Version.** 1 x 1,5 Ah Li-Ion batterie, 30 min* charger **EAN No.** 4002395126347

12 V ULTRA COMPACT IMPACT DRIVER

COMPACT POWER

BSS 12C Li

Features

- Ultra compact impact driver measuring only 163 mm
- 115 Nm torque
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge
- ¼" Hex bit reception
- Ergonomic soft-grip design
- New 3 beam LED for total workplace illumination
- Belt clip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**1,0 kg**
Max torque	**115 Nm**
No load speed	**0–2000 rpm**

Impact rate	**0–3000 ipm**
Tool reception	**¼" Hex**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

12V PRO LITHIUM ION

NEW

1kg | 115 Nm | 1/4"

Cat No. BSS 12C Li-152C **Article No.** 4935 4410 00 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395134977

* Charge times based on 1,5 Ah Li-Ion battery

12 V CORDLESS HAMMER

BBH 12 Li

ALSO AVAILABLE: **1,5 Ah version**

Features

- L-shape SDS hammer for drilling and fixing into concrete up to 13 mm
- 0,9 Joule EPTA impact energy delivers high performance
- Hammer action stop for rotary drilling in wood and metal
- Built in fuel gauge
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specification

No. of batteries	**2 x 3,0 Ah**
Charger	**30 min***
Weight with battery	**1,8 kg**
Drilling metal/wood/concrete	**8/10/13 mm**
Impact energy	**0,9 J EPTA**
No load speed	**0–800 rpm**
Blows per minute	**0–5350 bpm**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger, screwdriving bit adaptor, case

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

12v PRO LITHIUM ION

NEW

1.8kg | 0.9 Joule | SAFETY | SDS PLUS

Cat No. BBH12Li-152C **Article No.** 4935441148 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395135097
Cat No. BBH12Li-302C **Article No.** 4935441471 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395135165

3,6 V INLINE SCREWDRIVER

SE 3.6 Li

ALSO AVAILABLE: **NiCd version**

Features

- In-line or angled handle adjustment
- 10-stage torque selection plus drill stage
- Ergonomic, modern design
- 2-speed full metal gearbox
- ¼" Hex bit reception

Specification

No. of batteries	**2 x 1,5 Ah**
Charger	**30 min***
Weight with battery	**0,6 kg**
Length with battery	**28 cm**
Drilling aluminium/wood	**5/6 mm**

Max torque	**6,5 Nm**
No load speed	**200/600 rpm**
Voltage	**3,6 V**

Standard Equipment – 2 x 1,5 Ah batteries, charger and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

0.6kg | 6.5 Nm | 1/4" | 1-2

Cat No. SE 3.6 Li-152C **Article No.** 4935 4131 65 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395197538
Cat No. SE 3.6 NC-142C **Article No.** 4935 4131 55 **Version.** 2 x 1,4 Ah NiCd batteries, 30 min* charger **EAN No.** 4002395197514

FLASHLIGHTS/BATTERY LAMPS

	Model	Voltage	Article Number 4932-	EAN Number 4002395-
	BLL 12C	12 V	**3521 62**	368150
	FL 12	12 V	**3521 00**	367535
	FL 14	14 V	**3521 01**	367542
	FL 18	18 V	**3521 02**	367559
	BAL 18	18 V	**3526 61**	373192

* Charge times based on 1,5 Ah Li-Ion battery

Pro Lithium-Ion technology



TRIPLE PROTECTION

THERMAL MONITORING	OVER CURRENT MONITORING	INDIVIDUAL CELL MONITORING
THERMAL OVERLOAD PROTECTION	*CURRENT OVERLOAD PROTECTION*	*INDIVIDUAL CELL MONITORING*
Protects over heating	Protects over loading	Protects over/under charging

AEG POWERTOOLS Lithium-Ion technology provides the optimum power platform for todays professional user by protecting both battery and machine in 3 ways:

1) Electronic current protection

- shuts down if excessive current draw may harm battery and machine
- thermal shutdown protects battery if temperature gets too high
- protects individual cells from over discharging

2) Robust construction

- AEG POWERTOOLS Lithium-Ion technology benefits from robust internal and external design features as illustrated above, to ensure optimum durability

3) Individual cell monitoring

- individual cells charge and discharge at different rates – AEG POWERTOOLS Lithium-Ion technology offers tailored charging and discharging for individual cells for maximum cell life

Batteries and Chargers

AEG BATTERY PACKS

Long-life, high capacity packs without any memory effect. The excellent contact system with perfectly protected self cleaning contacts offers the lowest possible resistance between battery and tool for optimum performance.

BATTERIES

		Catalogue Number	Chemistry	Capacity	Charger Compatibility Charge Time*	Article Number	EAN Number
18 V		L1830R	Li-Ion	3,0	AL 9618 / 60 min* BL 1218 / 30 min*	4932 3526 55	4002395373130
		L1815R	Li-Ion	1,5		4932 3526 54	4002395373123
		B1814G	NiCd	1,4		4932 3525 33	4002395371914
		B1817G	NiCd	1,7		4932 3524 80	4002395371396
14,4 V		L1430R	Li-Ion	3,0	AL 9618 / 60 min* BL 1218 / 30 min*	4932 3526 57	4002395373154
		L1415R	Li-Ion	1,5		4932 3526 56	4002395373147
		M1430R	NiMH	3,0		4932 3521 10	4002395367634
		B1414G	NiCd	1,4		4932 35 2531	4002395371891
12 V		L1215	Li-Ion	1,5	LL 1230 / 30 min*	4932 3526 58	4002395373161
		M1230R	NiMH	3,0	AL 9618 / 60 min* BL 1218 / 30 min*	4932 3521 07	4002395367603
		B1214G	NiCd	1,4		4932 3525 32	4002395371907
3,6 V		SL 3,6	Li-Ion	1,5	LA 036 / 30 min*	4932 3520 99	4002395367528
		SB 3,6	NiCd	1,4		4932 3520 98	4002395367511

CHARGERS

	Catalogue Number	Chemistry	Charger Compatibility Charge Time*	Article Number	EAN Number
	AL1214G	NiCd, NiMH, Li-Ion 12–14,4 V	60 min*	4932 3524 81	4002395371402
	AL1218G	NiCd, NiMH, Li-Ion 12–18 V		4932 3529 57	4002395376155
	BL 1218	NiCd, NiMH, Li-Ion 12 – 18 V	30 min*	4932 3526 59	4002395373178
	LL 1230	Li-Ion 12 V		4932 3520 96	4002395367498
	LA 036	NiCd, NiMH, Li-Ion 3,6 V		4932 3520 97	4002395367504

* Charge times based on 1,5 Ah Li-ion battery

AEG

REAL HAMMER POWER

AEG POWERTOOLS offer an extensive selection of high performance rotary, combination, chipping and demolition hammers.

THE HAMMER RANGE

12 V CORDLESS HAMMER
18 V CORDLESS HAMMER
SDS-PLUS ROTARY HAMMERS
SDS-PLUS COMBI HAMMERS
SDS-PLUS CHIPPING HAMMERS
SDS-MAX LARGE COMBI HAMMERS
SDS-MAX LARGE DEMOLITION HAMMERS

AEG POWERTOOLS

12 V CORDLESS HAMMER — BBH 12 Li

ALSO AVAILABLE: **1,5 Ah version**

Features

- L-shape SDS hammer for drilling and fixing into concrete up to 13 mm
- 0,9 Joule impact energy delivers high performance
- Hammer action stop for rotary drilling in wood and metal
- Built in fuel gauge
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 3,0 Ah**
Charger	**30 min***
Weight with battery	**1,8 kg**
Drilling metal/wood/concrete	**8/10/13 mm**

Impact energy	**0,9 J EPTA**
No load speed	**0–800 rpm**
Blows per minute	**0–5350 bpm**
Voltage	**12 V**

Standard Equipment – 2 x batteries, charger, screwdriving bit adaptor, case

AEG 3 YEARS POWERTOOLS · 12v PRO LITHIUM ION · NEW

1.8kg · 0.9 Joule · SAFETY · SDS PLUS

Cat No. BBH 12 Li-152C **Article No.** 4935441148 **Version.** 2 x 1,5 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395135097
Cat No. BBH 12 Li-302C **Article No.** 4935441471 **Version.** 2 x 3,0 Ah Li-Ion batteries, 60 min* charger **EAN No.** 4002395135165

18 V CORDLESS HAMMER — BBH 18 Li

ALSO AVAILABLE: **0-version**

Features

- L-shape SDS hammer for drilling and fixing into concrete up to 24 mm
- 2,3 Joule impact energy delivers high performance
- Rotary stop for light chiselling applications
- Hammer action stop for rotary drilling in wood and metal
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

Specification

No. of batteries	**2 x 3,0 Ah**
Charger	**30 min***
Weight with battery	**3,5 kg**
Drilling concrete/steel/wood	**24/13/30 mm**

Impact energy	**2,3 J EPTA**
No load speed	**1400 rpm**
Blows per minute	**0–4200 bpm**
Voltage	**18 V**

Standard Equipment – 2 x battery, charger and kitbox

AEG 3 YEARS POWERTOOLS · 18v PRO LITHIUM ION

3.5kg · 2.3 Joule · SAFETY · SDS PLUS

Cat No. BBH 18 Li-302C **Article No.** 4935 4082 75 **Version.** 2 x 3,0 Ah Li-Ion batteries, 30 min* charger **EAN No.** 4002395132751
Cat No. BBH 18-0 **Article No.** 4935 4083 30 **Version.** Zero version – no batteries, charger or kitbox **EAN No.** 4002395132744

* Charge times based on 1,5 Ah Li-Ion battery

SDS-PLUS ROTARY HAMMER — BH 22 E

Features

- Powerful 650 watt motor
- 22 mm drilling capacity in concrete
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism

Specification

Power input	**650 watt**
No load speed	**0–1290 rpm**
Impact energy	**1,9 J EPTA**
Hammer rate (full load)	**0–3700 bpm**
Drilling concrete/steel/wood	**22/13/30 mm**
Weight	**2,5 kg**

Standard Equipment – Side handle, metal depth gauge, 4 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

2.5kg | 650 W | 1.9 Joule | SAFETY | SDS PLUS | 4M

Cat No. BH 22 E **Article No.** 4935 4114 80 **Version.** 220–240 V **EAN No.** 4002395197026

SDS-PLUS ROTARY HAMMER — BH 24 E

Features

- Powerful 720 watt motor
- 24 mm drilling capacity in concrete
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort

Specification

Power input	**720 watt**
No load speed	**1500 rpm**
Impact energy	**2,3 J EPTA**
Hammer rate (full load)	**0–4500 bpm**
Drilling concrete/steel/wood	**24/13/30 mm**
Weight	**2,4 kg**

Standard Equipment – Side handle, metal depth gauge, 4 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

2.4kg | 720 W | 2.3 Joule | SDS PLUS | SAFETY | 4M

Cat No. BH 24 E **Article No.** 4935 4282 00 **Version.** 240 V **EAN No.** 4002395194384

SDS-PLUS COMBI HAMMER — KH 24 XE

Features

- Powerful 720 watt motor
- 24 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- FIXTEC quick change chuck
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort

Specification

Power input	**720 watt**
No load speed	**1500 rpm**
Impact energy	**2,3 J EPTA**
Hammer rate (full load)	**0–4500 bpm**
Drilling concrete/steel/wood	**24/13/30 mm**
Weight	**2,6 kg**

ALSO AVAILABLE: **KH 24 E – No FIXTEC**

Standard Equipment – Side handle, FIXTEC adaptor and keyless chuck, metal depth gauge, 4 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

2.6kg | 720 W | 2.3 Joule | SDS PLUS | SAFETY | FIXTEC | 4M

Cat No. KH 24 XE **Article No.** 4935 4282 20 **Version.** 220–240 V **EAN No.** 4002395194407
Cat No. KH 24 E **Article No.** 4935 4282 10 **Version.** 220–240 V **EAN No.** 4002395194391

SDS-PLUS COMBI HAMMER — KH 26 E

Features

- Powerful 800 watt motor
- 26 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort

ALSO AVAILABLE: **KH 26 XE - with FIXTEC**

Specification

Power input	**800 watt**
No load speed	**1500 rpm**
Impact energy	**2,5 J EPTA**
Hammer rate (full load)	**0–4500 bpm**

Drilling concrete/steel/wood	**26/13/30 mm**
Weight	**2,6 kg**

Standard Equipment – Side handle, metal depth gauge, 4 m cable and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

2.6kg | 800 W | 2.5 Joule | SDS PLUS | SAFETY | 4M

Cat No. KH 26 E **Article No.** 4935 4281 80 **Version.** 220-240 V **EAN No.** 4002395194360
Cat No. KH 26 XE **Article No.** 4935 4289 10 **Version.** 220-240 V **EAN No.** 4002395194681 with FIXTEC adaptor

SDS-PLUS COMBI HAMMER — BH 26 LXE

Features

- Powerful 750 watt motor
- 26 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- FIXTEC quick change tool system
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Hammer action stop for drilling in wood or metal

ALSO AVAILABLE: **BH 26 LE – no FIXTEC**

Specification

Power input	**750 watt**
No load speed	**0–1400 rpm**
Impact energy	**2,7 J EPTA**
Hammer rate (full load)	**0–4500 bpm**

Drilling concrete/steel/wood	**26/13/30 mm**
Drilling capacity core cutter	**68 mm**
Weight	**3,1 kg**

Standard Equipment – Side handle, FIXTEC adaptor and keyless chuck, metal depth gauge, 4 m cable and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

3.1kg

750 W | 2.7 Joule | AVS | SDS PLUS | SAFETY | FIXTEC | 4M

Cat No. BH 26 LXE **Article No.** 4935 4120 00 **Version.** 220-240 V **EAN No.** 4002395197187
Cat No. BH 26 LE **Article No.** 4935 4120 42 **Version.** 220-240 V **EAN No.** 4002395197903

SDS-PLUS COMBI HAMMER

KH 28 Super XE

Features

- Powerful 1010 watt motor
- 28 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- FIXTEC quick change tool system
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Soft-grip handle for comfort
- Electronic overload protection
- No load speed limitation

Specification

Power input	**1010 watt**
No load speed	**1500 rpm**
Impact energy	**2,8 J EPTA**
Hammer rate (full load)	**0–5000 bpm**
Drilling concrete/steel/wood	**28/13/30 mm**
Weight	**2,8 kg**

Standard Equipment – Side handle, FIXTEC adaptor and keyless chuck, metal depth gauge, 4 m cable and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

2.8kg | 1010 W | 2.8 Joule | SDS PLUS | SAFETY | FIX TEC | 4M

Cat No. KH 28 Super XE **Article No.** 4935 4281 90 **Version.** 220–240 V **EAN No.** 4002395194377

SDS-PLUS COMBI HAMMER — PN 3500 X

Features

- Powerful 750 watt motor
- 30 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for control in chiselling applications
- FIXTEC quick change tool system
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Hammer action stop for drilling in wood or metal

ALSO AVAILABLE: **PN 3500 – No FIXTEC**



Specification

Power input	**750 watt**
No load speed	**0–970 rpm**
Impact energy	**3,4 J EPTA**
Hammer rate (full load)	**0–4200 bpm**

Drilling concrete/steel/wood	**30/16/40 mm**
Drilling capacity core cutter	**82 mm**
Weight	**3,6 kg**

Standard Equipment – Side handle, FIXTEC adaptor and keyed chuck, metal depth gauge, 4 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

3.6kg | 750 W | 3.4 Joule | AVS | SDS PLUS | SAFETY | FIX TEC | 4M

Cat No. PN 3500 X **Article No.** 4935 4122 10 **Version.** 220-240 V **EAN No.** 4002395198337
Cat No. PN 3500 **Article No.** 4935 4121 52 **Version.** 220-240 V **EAN No.** 4002395198306

SDS-PLUS CHIPPING HAMMER — PM 3

Features

- Powerful 720 watt motor
- 3,6 J impact energy for powerful chipping
- Variolock (35 positions) for selecting the most appropriate chisel angle
- Service hatches for easy changing of carbon brushes
- Lock-on switch function
- AVS anti-vibration aystem significantly reduces vibration for more comfortable operation
- Soft-grip for more comfortable handling

Specification

Power input	**720 watt**
Impact energy	**3,6 J EPTA**

Hammer rate (full load)	**0–3650 bpm**
Weight	**3,7 kg**

Standard Equipment – Side handle, 4 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

3.7kg | 720 W | 3.6 Joule | AVS | SDS PLUS | 4M

Cat No. PM 3 **Article No.** 4935 4125 41 **Version.** 220-240 V **EAN No.** 4002395199044

SDS-MAX COMBI HAMMER — KH 5 E

Features

- Powerful 1200 watt motor
- 40 mm drilling capacity in concrete
- Rotary stop for chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if electricity flows

Specification

Power input	**1200 watt**	Drilling concrete/ core bit/tunnel drill bit	**40/90/65 mm**
No load speed	**300 rpm**	Drilling capacity core cutter	**105 mm**
Impact energy	**8,5 J EPTA**	Weight	**6,6 kg**
Hammer rate (full load)	**0–2840 bpm**		

Standard Equipment – Side handle, metal depth gauge, grease, 6 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

Cat No. KH 5 E **Article No.** 4935 4123 26 **Version.** 220–240 V **EAN No.** 4002395198603

SDS-MAX CHIPPING HAMMER — MH 5 E

Features

- Powerful 1200 watt motor
- 8,5 J impact energy for effortless chipping
- Soft hammer mode reduces blow energy for chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if electricity flows

Specification

Power input	**1200 watt**	Hammer rate (full load)	**0–2840 bpm**
Impact energy	**8,5 J EPTA**	Weight	**6,2 kg**

Standard Equipment – D front handle, grease, 6 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS



Cat No. MH 5 E **Article No.** 4935 4123 61 **Version.** 220–240 V **EAN No.** 4002395198795

SDS-MAX LARGE COMBI HAMMER — PN 11 E

Features

- Powerful 1700 watt motor
- 20 J impact energy for heavy demolition applications
- 50 mm drilling capacity into concrete
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes
- Soft-grip on handles for comfort

Specification

Power input	**1700 watt**	Drilling concrete/ core bit/tunnel drill bit	**50/150/80 mm**
Impact energy	**20 J EPTA**	Weight	**11,8 kg**
Hammer rate (full load)	**975–1950 bpm**		

Standard Equipment – D front handle, additional side handle, grease, 6 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

11.8kg | 1700 W | 20 Joule | AVS | SDS MAX | SAFETY | 6M

Cat No. PN 11 E **Article No.** 4935 4124 40 **Version.** 220-240 V **EAN No.** 4002395198931

SDS-MAX LARGE DEMOLITION HAMMER — PM 10 E

Features

- Powerful 1600 watt motor
- 20 J impact energy for heavy demolition applications
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes
- Soft-grip on handles for comfort

Specification

Power input	**1600 watt**	Hammer rate (full load)	**975–1950 bpm**
Impact energy	**20 J EPTA**	Weight	**11,0 kg**

Standard Equipment – D front handle, grease, 6 m cable and kitbox

AEG 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE POWERTOOLS

11kg | 1600 W | 20 Joule | AVS | SDS MAX | 6M

Cat No. PM 10 E **Article No.** 4935 4124 18 **Version.** 220-240 V **EAN No.** 4002395198832

POWER TO PROTECT

AEG POWERTOOLS is committed to producing hard hitting, low vibration hammers which allow professional users to carry out heavy duty job site applications safely.
A new directive in 2005 – The EU Physical Agents (Vibration) Directive 2002/44/EC states that Hand Arm Vibration (HAV) should be considered an official risk to health and safety in the workplace. These vibrations are expressed in terms of acceleration – m/s^2. All AEG POWERTOOLS hammers are rated by their tri-axle vibration levels as required by this directive, as shown in the table below, so professional users can work safely in line with this directive.

ROTARY/COMBINATION HAMMERS

Model		Power input	Impact energy	Hammer rate	Tri-axle vibration level drilling	Tri-axle vibration level chiselling	Weight
BBH 12 Li		12 V	0,9 J	0–5350 bpm	4,4 m/s^2	n/a	1,8 kg
BBH 18 Li		18 V	2,3 J	0–4200 bpm	16,0 m/s^2	8,8 m/s^2	3,5 kg
BH 22 E		650 W	1,9 J	0–3700 bpm	15,5 m/s^2	n/a	2,5 kg
BH 24 E		720 W	2,3 J	0–4500 bpm	14,0 m/s^2	n/a	2,4 kg
KH 24 XE		720 W	2,3 J	0–4500 bpm	14,0 m/s^2	11,6 m/s^2	2,6 kg
KH 26 E		800 W	2,5 J	0–4500 bpm	15,0 m/s^2	12,4 m/s^2	2,6 kg
BH 26 LXE		750 W	2,7 J	0–4500 bpm	14,5 m/s^2	13,0 m/s^2	3,1 kg
KH 28 Super XE		1010 W	2,8 J	0–5000 bpm	15,4 m/s^2	13,5 m/s^2	2,8 kg
PN 3500 X		750 W	3,4 J	0–4200 bpm	20,0 m/s^2	13,5 m/s^2	3,6 kg
KH 5 E		1200 W	8,5 J	0–2840 bpm	13,0 m/s^2	9,0 m/s^2	6,6 kg
PN 11 E		1700 W	20 J	975–1950 bpm	12,5 m/s^2	11,0 m/s^2	11,8 kg

DEMOLITION HAMMERS

Model		Power input	Impact energy	Hammer rate	Tri-axle vibration level drilling	Tri-axle vibration level chiselling	Weight
PM 3		720 W	3,6 J	0–3650 bpm	n/a	15,5 m/s^2	3,7 kg
MH 5 E		1200 W	8,5 J	0–2840 bpm	n/a	11,5 m/s^2	6,2 kg
PM 10 E		1600 W	20 J	975–1950 bpm	n/a	11,0 m/s^2	11,0 kg

POWER TO DRILL DEEPER

AEG POWERTOOLS offer the power to drill deeper with their powerful range of percussion drills offering enhanced performance, reliability and durability for todays professional user.

DRILLING SYSTEM RANGE

ROTARY DRILLS

PERCUSSION DRILLS

DIAMOND SYSTEM

WALL CHASER

SCREWDRIVERS

AEG
POWERTOOLS

AEG

ROTARY DRILL — BE 650 R

Features

- Compact and powerful 650 watt motor
- Compact ergonomic design offers excellent handling
- Variable speed control with forward and reverse mechanism
- 10 mm keyless metal chuck
- 43 mm gear neck for use in drill stands
- Speed control with speed dial

Specification

Power input	**650 watt**
No load speed	**0–3000 rpm**
Drilling steel/aluminium/wood	**10/13/30 mm**
Max torque	**25 Nm**
Chuck	**1,0–10 mm**
Weight	**1,7 kg**

Standard Equipment – Chuck, cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.7kg | 25 Nm | 650 W | 10 mm

Cat No. BE 650 R **Article No.** 4935 3817 75 **Version.** 220–240 V **EAN No.** 4002395194599

ROTARY DRILL — BE 705 R

Features

- Extremely compact design
- Compact and powerful 705 watt motor
- Variable speed control with forward and reverse mechanism
- Belt clip
- 10 mm keyless chuck

Specification

Power input	**705 watt**
No load speed	**0–2700 rpm**
Drilling steel/aluminium/wood	**10/16/30 mm**
Max torque	**15 Nm**
Chuck	**1,0–10 mm**
Weight	**1,6 kg**

Standard Equipment – Chuck, 4 m cable and softbag

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.6kg | 15 Nm | 705 W | 10 mm | 4M

Cat No. BE 705 R **Article No.** 4935 4165 05 **Version.** 220–240 V **EAN No.** 4002395129744

ROTARY DRILL — B4-1050 ST

Features

- Four-speed rotary drill for drilling up to 32 mm
- Breast plate and 57 mm gear neck for use in magnetic drill stands
- Standard morse taper 3 reception
- Attachable handle with adjustable length

Specification

Power input	**1050 watt**
No load speed 1st/2nd/3rd/4th gear	**220/260/350/ 420 rpm**
Drilling steel/aluminium/wood	**32/64/52 mm**
Max torque	**>200 Nm**
Tool reception	**Morse taper 3**
Weight	**9,7 kg**

Standard Equipment – Breast plate, attachable handle, 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

9.7kg | 200 Nm | 1050 W | 1-4 | 4M

Cat No. B4-1050 ST **Article No.** 4935 4150 00 **Version.** 220–240 V **EAN No.** 4002395193356

PERCUSSION DRILL — SBE 500 R

Features

- Compact and powerful 500 watt motor
- Compact ergonomic design offers excellent handling
- Variable speed control with forward and reverse mechanism
- Hammer action stop for rotary drilling
- 10 mm metal keyed chuck
- 43 mm gear neck for use in drill stands

Specification

Power input	**500 watt**
No load speed	**0–2650 rpm**
Drilling concrete/steel/wood	**13/10/20 mm**
Max torque	**21 Nm**
Chuck	**1,5–10 mm**
Weight	**1,6 kg**

Standard Equipment – Chuck, cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.6kg | 21 Nm | 500 W | 10 mm

Cat No. SBE 500 R **Article No.** 4935 4126 37 **Version.** 220–240 V **EAN No.** 4002395199242

PERCUSSION DRILL — SBE 570 R

Features

- Compact and powerful 570 watt motor
- Compact ergonomic design offers excellent handling
- Variable speed control with forward and reverse mechanism
- Hammer action stop for rotary drilling
- 13 mm metal keyed chuck
- 43 mm gear neck for use in drill stands

Specification

Power input	**570 watt**
No load speed	**0–2700 rpm**
Drilling concrete/steel/wood	**15/13/30 mm**
Max torque	**23 Nm**
Chuck	**1,5–13 mm**
Weight	**1,7 kg**

Standard Equipment – Chuck, side handle, metal depth gauge and cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.7kg | 23 Nm | 570 W | 13 mm

Cat No. SBE 570 R **Article No.** 4935 4126 81 **Version.** 220–240 V **EAN No.** 4002395199303

PERCUSSION DRILL — SBE 600 R

ALSO AVAILABLE: **Kit version**

Features

- Compact and powerful 600 watt motor
- Compact ergonomic design with large soft-grip areas offers excellent handling
- Variable speed control with forward and reverse mechanism
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck
- 43 mm gear neck for use in drill stands
- Speed control with speed dial

Specification

Power input	**600 watt**
No load speed	**0–2700 rpm**
Drilling concrete/steel/wood	**15/13/30 mm**
Max torque	**23 Nm**
Chuck	**1,5–13 mm**
Weight	**1,8 kg**

Standard Equipment – Chuck, side handle, depth gauge and cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.8kg | 23 Nm | 600 W | 13 mm

Cat No. SBE 600 R **Article No.** 4935 3817 00 **Version.** 220–240 V **EAN No.** 4002395194544
Cat No. SBE 600 R Kit **Article No.** 4935 3817 20 **Version.** 220–240 V delivered in kitbox **EAN No.** 4002395194568

PERCUSSION DRILL — SBE 650 R

Features

- Compact and powerful 650 watt motor
- Compact ergonomic design with large soft-grip areas offers excellent handling
- Variable speed control with forward and reverse mechanism
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck
- 43 mm gear neck for use in drill stands
- Speed control with speed dial

Specification

Power input	**650 watt**
No load speed	**0–3000 rpm**
Drilling concrete/steel/wood	**16/13/30 mm**
Max torque	**25 Nm**
Chuck	**1,5–13 mm**
Weight	**1,8 kg**

ALSO AVAILABLE: **Kit version**

AEG POWERTOOLS 3 YEARS WARRANTY

Standard Equipment – Chuck, side handle, depth gauge, cable

1.8kg | 25 Nm | 650 W | 13 mm

Cat No. SBE 650 R **Article No.** 4935 3817 70 **Version.** 220–240 V **EAN No.** 4002395194582
Cat No. SBE 650 R Kit **Article No.** 4935 3817 10 **Version.** 220–240 V delivered in kitbox **EAN No.** 4002395194551

PERCUSSION DRILL — SB2-650

Features

- Compact and powerful 650 watt motor
- Compact ergonomic design with large soft-grip areas offers excellent handling
- Variable speed control
- 2-speed selection for increased torque and versatility
- Hammer action stop for rotary drilling
- 13 mm metal keyed chuck
- 43 mm gear neck for use in drill stands

Specification

Power input	**650 watt**
No load speed	**0–2250/0–3000 rpm**
Drilling concrete/steel/wood	**16/13/30 mm**
Max torque	**25 Nm**
Chuck	**1,5–13 mm**
Weight	**1,8 kg**

AEG POWERTOOLS 3 YEARS WARRANTY

Standard Equipment – Chuck, side handle, depth gauge, cable

1.8kg | 25 Nm | 650 W | 1-2 | 13 mm

Cat No. SB2-650 **Article No.** 4935 3817 60 **Version.** 220–240 V **EAN No.** 4002395194575

HIGH TORQUE PERCUSSION DRILL — SB2E 750 RX ST

Features

- Compact and powerful 750 watt high torque percussion drill
- 62 Nm torque delivers complete power
- IMB – Integrated-Metal-Block technology for highest durability and stability
- 2-speed gearbox with synchromesh gear lever
- Variable speed control with forward and reverse mechanism
- Easy access to carbon brushes via removal of soft-grip rubber
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck

Specification

Power input	**750 watt**
No load speed	**0–1200/0–3400 rpm**
Drilling concrete/steel/wood	**20/13/40 mm**
Max torque	**62 Nm**
Chuck	**1,5–13 mm**
Weight	**2,5 kg**

ALSO AVAILABLE: **SB2E 750 R ST – No FIXTEC**

AEG POWERTOOLS 3 YEARS WARRANTY

Standard Equipment – Side handle, metal depth gauge, 4 m cable and kitbox

2.5kg | 62 Nm | 750 W | 13 mm | 1-2 | FIX TEC | 4M

Cat No. SB2E 750 RX ST **Article No.** 4935 4128 53 **Version.** 220–240 V **EAN No.** 4002395192779
Cat No. SB2E 750 R ST **Article No.** 4935 4128 39 **Version.** 220–240 V **EAN No.** 4002395192700

L-SHAPE PERCUSSION DRILL — ERGOMAX

Features

- Ultra compact powerful 750 watt percussion drill
- Superior ergonomic design
- Removable main handle
- IMB – Integrated-Metal-Block technology for highest durability & stability
- Variable speed control with forward and reverse mechanism
- Patented FIXTEC system for quick and easy changing of accessories
- 2-speed planetary synchromesh gear
- Direct bit reception for reduced weight, reduced length, improved visibility
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck

Standard Equipment – Side handle, metal depth gauge, 4 m cable and kitbox

Specification

Power input	**750 watt**
No load speed	**0–1200/0–3400 rpm**
Drilling concrete/steel/wood	**20/13/40 mm**
Max torque	**58 Nm**
Chuck	**1,5–13 mm**
Weight	**2,6 kg**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. Ergomax **Article No.** 4935 4123 96 **Version.** 220–240 V **EAN No.** 4002395198870

PERCUSSION DRILL — SB 20-2E

Features

- Compact and powerful 750 watt percussion drill
- AVS anti-vibration system for more comfortable use
- Safety clutch for user protection
- 2-speed gearbox for increased torque and versatility
- Ergonomic soft-grip design for comfort
- Variable speed control with forward and reverse mechanism
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck

Standard Equipment – Side handle, metal depth gauge, 4 m cable and kitbox

Specification

Power input	**750 watt**
No load speed	**0–1000/0–3200 rpm**
Drilling concrete/steel/wood	**20/13/40 mm**
Max torque	**56 Nm**
Chuck	**1,5–13 mm**
Weight	**2,8 kg**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. SB 20-2E **Article No.** 4935 4110 00 **Version.** 220–240 V **EAN No.** 4002395196609

PERCUSSION DRILL — SB 22-2E

Features

- Compact and powerful 1010 watt percussion drill
- AVS anti-vibration system for more comfortable use
- Safety clutch for user protection
- 2-speed gearbox
- Ergonomic soft-grip design for comfort
- Variable speed control with forward and reverse mechanism
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck

Standard Equipment – Side handle, metal depth gauge, 4 m cable and kitbox

Specification

Power input	**1010 watt**
No load speed	**0–1000/0–3200 rpm**
Drilling concrete/steel/wood	**22/16/40 mm**
Max torque	**60 Nm**
Chuck	**1,5–13 mm**
Weight	**2,9 kg**

ALSO AVAILABLE: **with keyed chuck**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. SB 22-2E **Article No.** 4935 4110 30 **Version.** 220–240 V **EAN No.** 4002395196630
Cat No. SB 22-2E with keyed chuck **Article No.** 4935 4118 06 **Version.** 220–240 V **EAN No.** 4002395132447

DRY DIAMOND DRILL — DB 1500-2 E

Features

- Powerful 1500 watt motor
- High performance 2-speed dry diamond drill
- Dual protection with interlinked mechanical and electronic clutches for safety
- Robust construction and full metal gearbox for durability
- 2-speed gear box
- Electronics with soft start for precision drilling and motor overload protection
- Soft hammer mode

Specification

Power input	**1500 watt**
No load speed	**0–1500/ 0–3000 rpm**
Spindle thread	**M18 x 2,5**

Max. drilling capacity in masonry/brick	**162 mm**
Weight	**4,2 kg**

Standard Equipment – Kitbox and handle

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

4.2kg | 1500 W | SOFT | 1-2 | SAFETY | 4M

Cat No. DB 1500-2 E **Article No.** 4935 4124 75 **Version.** 220–240 V **EAN No.** 4002395198955

WALL CHASER — MFE 1500

Features

- Powerful 1500 watt motor
- Electronics with thermal overload protection and soft start
- Variable and adjustable cutting depth for accurate results
- Variable cutting width for versatility
- Bayonet adaptor for dust extraction
- Spindle lock

Specification

Power input	**1500 watt**
Disc diameter	**125 mm**
No load speed	**975–1950 bpm**

Cutting width/depth	**8–30/8–26 mm**
Weight	**4,1 kg**

Blade for MFE 1500

Type	Blade Ø mm	Bore Ø mm	Segment height mm	Quantity	Article No. 4932-	EAN No. 4002395-
DSU 125 – Laser welded universal blade especially suitable for wall chasers	125	22,23	10	1	373147	346455

Standard Equipment – Kitbox, 4 m cable, special break out chisel, front handle, suction adaptor, spanner

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

4.1kg | 1500 W | 125 mm | 4M

Cat No. MFE 1500 **Article No.** 4935 4136 05 **Version.** 220–240 V **EAN No.** 4002395192809

SELF DRILLING SCREWDRIVER — S 2500 E

Features

- Powerful 720 watt motor for increased productivity
- Compact self drilling screwdriver with high torque for self tapping screws
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft-grip for comfortable handling
- ¼" Hex bit reception
- Belt clip

Specification

Power input	**720 watt**
No load speed	**0–2500 rpm**
Self-tapping/wood screws	**6,3/6 mm**
Torque	**14 Nm**
Bit reception	**¼" Hex**
Weight	**1,5 kg**

Standard Equipment – 2 depth gauges, ⅜" & 5/16" Hex sockets, bit holder, PH 2 bit, belt clip, 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. S 2500 E **Article No.** 4935 4132 25 **Version.** 220-240 V **EAN No.** 4002395197651

DRYWALL SCREWDRIVER — S 4000 E

Features

- Powerful 720 watt motor for increased productivity
- Compact high speed screwdriver for drywall applications
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft-grip for comfortable handling
- ¼" Hex bit reception
- Belt clip

Specification

Power input	**720 watt**
No load speed	**0–4000 rpm**
Drywall screws	**5 mm**
Torque	**10 Nm**
Bit reception	**¼" Hex**
Weight	**1,4 kg**

Standard Equipment – Depth gauge, bit holder, PH 2 bit, belt clip, 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. S 4000 E **Article No.** 4935 4132 15 **Version.** 220-240 V **EAN No.** 4002395197637

SCREWDRIVING POWERSET

Set of 40 screwdriving bits

Coldfire is a special hardening treatment for making metals stronger, tougher and more durable. This cryogenic process is a one-time permanent treatment affecting the entire screwdriving bit and it is not just a surface coating. The cyrogenic process consists of two steps, firstly the bit is hardened by heating it up to 870° and then freezing the bit down to -148° using a dry nitrogen atmosphere. The result of this process is a bit with exceptional durability.
+ 40% stronger – bit tips hold their form and will accept higher torque forces
+ 45% longer life – over the lifetime of a bit one can expect to drive 45% more screws

COLDfire® Cryogenically Treated

Qty	Description									Art. No. 4932-	EAN No. 4002395-
Screwdriving bits 25 mm length											
1	PH 1	2	PZ 3	1	0,6 x 4,5	1	TX 7	2	TX 20	**352255**	369140
2	PH 2	1	Hex 3	1	0,8 x 5,5	1	TX 8	2	TX 25		
1	PH 3	1	Hex 4	1	1,0 x 5,5	1	TX 9	1	TX 30		
2	PZ 1	1	Hex 5	1	1,2 x 6,5	2	TX 10	1	TX 40		
2	PZ 2	1	Hex 6	1	TX 6	2	TX 15				
Screwdriving bits 50 mm length											
1	PH 1	1	PZ 1	1	TX 10	1	TX 20	¼" Hex magnetic bit holder			
1	PH 2	1	PZ 2	1	TX 15						

AEG

POWER TO PERFORM

AEG POWERTOOLS offer an extensive range of grinders in a wide variety of power classes for the most diverse professional applications. These high performance tools are equipped with advanced features to ensure comfort and ease of use in the most challenging environments.

METALWORKING RANGE

SMALL ANGLE GRINDERS

LARGE ANGLE GRINDERS

DIE GRINDERS

POLISHERS / SANDERS

ABRASIVE METAL CHOPSAW

AEG
POWERTOOLS

AEG
AEG
AEG
AEG
AEG
AEG

SMALL ANGLE GRINDER — WS 6-115

Features

- Compact powerful 670 watt motor
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock

Specification

Power input	**670 watt**
No load speed	**10.000 rpm**
Cutting depth	**28 mm**
Grinding disc Ø	**115 mm**
Spindle thread	**M14**
Weight	**1,9 kg**

Standard Equipment – Additional handle, flange, flange nut, spanner and cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.9kg | 670 W | 115 mm | 10000 RPM

Cat No. WS 6-115 **Article No.** 4935 4132 50 **Version.** 220-240 V **EAN No.** 4002395197699

SMALL ANGLE GRINDER — WS 6-125

Features

- Compact powerful 700 watt motor
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock

Specification

Power input	**700 watt**
No load speed	**10.000 rpm**
Cutting depth	**33 mm**
Grinding disc Ø	**125 mm**
Spindle thread	**M14**
Weight	**1,9 kg**

Standard Equipment – Additional handle, flange, flange nut, spanner and cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.9kg | 700 W | 125 mm | 10000 RPM

Cat No. WS 6-125 **Article No.** 4935 4134 90 **Version.** 220-240 V **EAN No.** 4002395198542

SMALL ANGLE GRINDER

WS 9-115

Features

- Powerful 900 watt motor with outstanding performance
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock

Specification

Power input	**900 watt**	Grinding disc Ø	**115 mm**
No load speed	**11.000 rpm**	Spindle thread	**M14**
Cutting depth	**33 mm**	Weight	**2,0 kg**

Standard Equipment – AVS side handle, keyless safety guard, flange, flange nut, spanner and 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. WS 9-115 **Article No.** 4935 4193 80 **Version.** 220–240 V **EAN No.** 4002395130689

SMALL ANGLE GRINDER

WS 9-125

ALSO AVAILABLE: **WS 9-125 Kit – with kitbox**

Features

- Powerful 900 watt motor with outstanding performance
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock

Specification

Power input	**900 watt**	Grinding disc Ø	**125 mm**
No load speed	**11.000 rpm**	Spindle thread	**M14**
Cutting depth	**37 mm**	Weight	**2,0 kg**

Standard Equipment – AVS side handle, keyless safety guard, flange, flange nut, spanner and 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. WS 9-125 **Article No.** 4935 4193 90 **Version.** 220–240 V **EAN No.** 4002395130719
Cat No. WS 9-125 Kit **Article No.** 4935 4282 70 **Version.** 220–240 V **EAN No.** 4002395194346

SMALL ANGLE GRINDER

WS 11-115

Features

- Powerful 1100 watt motor with outstanding performance
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock

Specification

Power input	**1100 watt**	Grinding disc Ø	**115 mm**
No load speed	**11.000 rpm**	Spindle thread	**M14**
Cutting depth	**33 mm**	Weight	**2,1 kg**

Standard Equipment – AVS side handle, keyless safety guard, flange, flange nut, spanner and 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. WS 11-115 **Article No.** 4935 4194 00 **Version.** 220-240 V **EAN No.** 4002395130726

SMALL ANGLE GRINDER

WS 11-125

ALSO AVAILABLE: **WS 11-125 Kit – with kitbox & 2 diamond discs**

Features

- Powerful 1100 watt motor with outstanding performance
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock

Specification

Power input	**1100 watt**	Grinding disc Ø	**125 mm**
No load speed	**11.000 rpm**	Spindle thread	**M14**
Cutting depth	**37 mm**	Weight	**2,1 kg**

Standard Equipment – AVS side handle, keyless safety guard, flange, flange nut, spanner and 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. WS 11-125 **Article No.** 4935 4194 10 **Version.** 220-240 V **EAN No.** 4002395130757
Cat No. WS 11-125 Kit **Article No.** 4935 4194 95 **Version.** 220-240 V **EAN No.** 4002395130832

SMALL ANGLE GRINDER

WS 12-125 XE

Features

- Powerful 1200 watt motor with outstanding performance
- Variable speed electronics for lower speed setting especially in finishing applications
- Constant speed for best performance and high torque, even in lower speed applications
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Compact length and girth for comfortable use all day long
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Fast and tool-free disc change with patented FIXTEC nut
- Spindle lock

ALSO AVAILABLE: **WS 12-125 XE Kit – with kitbox, 3 x flap discs, 1 x flexible backing pad, 10 x fibre discs**

Specification

Power input	**1200 watt**	Grinding disc Ø	**125 mm**
No load speed	**2800–11.000 rpm**	Spindle thread	**M14**
Cutting depth	**37 mm**	Weight	**2,3 kg**

Standard Equipment – AVS side handle, keyless safety guard, flange, FIXTEC nut, spanner and 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. WS 12-125 XE **Article No.** 4935 4194 30 **Version.** 220–240 V **EAN No.** 4002395130795
Cat No. WS 12-125 XE Kit **Article No.** 4935 4195 05 **Version.** 220–240 V **EAN No.** 4002395130870

SMALL ANGLE GRINDER — WSC 14-125 MX

Features

- Powerful 1450 watt motor
- Digitronic with constant speed electronics, soft start, motor overload protection and no load speed limitation
- FIXTEC – patented nut for fast and easy disc changing
- Automatic cut-off, easy change carbon brushes
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Epoxy coating field and armature – combat abrasive dust to increase tool lifetime
- New "snap-in" safety guard for keyless adjustment
- Spindle lock, with safety mechanism
- Large surface safety switch

Specification

Power input	**1450 watt**	Grinding disc Ø	**125 mm**
No load speed	**11.000 rpm**	Spindle thread	**M14**
Cutting depth	**33 mm**	Weight	**2,5 kg**

Standard Equipment – 4 m cable, additional handle, flange nut, safety guard

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

2.5kg | 1450 W | 125 mm | 11000 RPM | FIX TEC | 4M

Cat No. WSC 14-125 MX **Article No.** 4935 4122 33 **Version.** 220-240 V **EAN No.** 4002395198368

SMALL ANGLE GRINDER — WSE 14-125 MX

ALSO AVAILABLE: **WSE 14-125 MX DMS**

Features

- Powerful 1450 watt motor
- Digitronic with variable speed preselection, soft start, motor overload protection and no load speed limitation
- FIXTEC – patented nut for fast and easy disc changing
- Automatic cut-off, easy change carbon brushes
- Flat metal gearhead for excellent visibility of work piece and optimised cutting depth
- Epoxy coating field and armature – combat abrasive dust to increase tool lifetime
- New "snap-in" safety guard for keyless adjustment
- Spindle lock, with safety mechanism
- Large surface safety switch

Specification

Power input	**1450 watt**	Grinding disc Ø	**125 mm**
No load speed	**2600–11.000 rpm**	Spindle thread	**M14**
Cutting depth	**33 mm**	Weight	**2,5 kg**

Standard Equipment – 4 m cable, additional handle, FIXTEC nut, safety guard, flange nut, kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

2.5kg | 1450 W | 125 mm | 2600 - 11000 RPM | FIX TEC | 4M

Cat No. WSE 14-125 MX **Article No.** 4935 4122 42 **Version.** 220-240 V **EAN No.** 4002395198375
Cat No. WSE 14-125 MX DMS **Article No.** 4935 4122 61 **Version.** 220-240 V DMS **EAN No.** 4002395198436

LARGE ANGLE GRINDER — WS 21-180 E

Features

- Powerful 2100 watt motor
- Epoxy-coated field windings and armature – prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch
- Line lock out function for increased user protection
- Soft start for smooth startup

Specification

Power input	**2100 watt**
No load speed	**8300 rpm**
Cutting depth	**43 mm**
Grinding disc Ø	**180 mm**
Spindle thread	**M14**
Weight	**4,7 kg**

Standard Equipment – 4 m cable, additional handle, flange nut, safety guard and spanner

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

4.7kg | 2100 W | 180 mm | 8300 RPM | 4M

Cat No. WS 21-180 E **Article No.** 4935 4117 88 **Version.** 220–240 V **EAN No.** 4002395129881

LARGE ANGLE GRINDER — WS 21-230 E

ALSO AVAILABLE: **WS 21-230 DMS (without Line lock out and Soft start function)**
ALSO AVAILABLE: **WS 21-230 E Kit – with kitbox**

Features

- Powerful 2100 watt motor
- Epoxy-coated field windings and armature – prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch
- Line lock out function for increased user protection
- Soft start for smooth startup

Specification

Power input	**2100 watt**
No load speed	**6400 rpm**
Cutting depth	**68 mm**
Grinding disc Ø	**230 mm**
Spindle thread	**M14**
Weight	**4,9 kg**

Standard Equipment – 4 m cable, additional handle, flange nut, safety guard and spanner

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

4.9kg | 2100 W | 230 mm | 6400 RPM | 4M

Cat No. WS 21-230 E **Article No.** 4935 4114 95 **Version.** 220–240 V **EAN No.** 4002395131037
Cat No. WS 21-230 DMS **Article No.** 4935 4115 05 **Version.** 220–240 V **EAN No.** 4002395131044
Cat No. WS 21-230 E/K **Article No.** 4935 4193 62 **Version.** 220–240 V with kitbox **EAN No.** 4002395193714

LARGE ANGLE GRINDER — WS 21-230 E GVX

ALSO AVAILABLE: **WS 21-230 GVX DMS (without Line lock out and Soft start function)**

Features

- Powerful 2100 watt motor
- AVS: additional handle and motor housing for more comfort handling and less strain on body joints
- Epoxy-coated field windings and armature – prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- Rotating rear handle providing optimum comfort and versatility
- FIXTEC nut for fast and easy disc changing
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch
- Line lock out function for increased user protection
- Soft start for smooth startup

Specification

Power input	**2100 watt**
No load speed	**6600 rpm**
Cutting depth	**68 mm**
Grinding disc Ø	**230 mm**
Spindle thread	**M14**
Weight	**5,1 kg**

Standard Equipment – Safety guard, FIXTEC nut, anti-vibration additional handle, 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

5.1kg | 2100 W | 180° | 230 mm | 6600 RPM | AVS | FIXTEC | 4M

Cat No. WS 21-230 E GVX **Article No.** 4935 4079 90 **Version.** 220–240 V **EAN No.** 4002395193455
Cat No. WS 21-230 GVX DMS **Article No.** 4935 4125 79 **Version.** 220–240 V **EAN No.** 4002395199068

LARGE ANGLE GRINDER — WS 24-180 E

Features

- Powerful 2400 watt motor
- Epoxy-coated field windings and armature – prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Line lock out function for increased user protection
- Soft start for smooth startup

Standard Equipment – 4 m cable, flange nut, safety guard, additional handle and spanner

Specification

Power input	**2400 watt**
No load speed	**8500 rpm**
Cutting depth	**43 mm**
Grinding disc Ø	**180 mm**
Spindle thread	**M14**
Weight	**5,0 kg**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

5kg | 2400 W | 180 mm | 8500 RPM | 4M

Cat No. WS 24-180 E **Article No.** 4935 4170 40 **Version.** 220–240 V **EAN No.** 4002395193516

LARGE ANGLE GRINDER — WS 24-230 E

Features

- Powerful 2400 watt motor
- Epoxy-coated field windings and armature – prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Line lock out function for increased user protection
- Soft start for smooth startup

Standard Equipment – 4 m cable, flange nut, safety guard, additional handle and spanner

Specification

Power input	**2400 watt**
No load speed	**6600 rpm**
Cutting depth	**68 mm**
Grinding disc Ø	**230 mm**
Spindle thread	**M14**
Weight	**5,1 kg**

ALSO AVAILABLE: **WS 24-230 DMS**
(without Line lock out and Soft start function)

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

5.1kg | 2400 W | 230 mm | 6600 RPM | 4M

Cat No. WS 24-230 E **Article No.** 4935 4079 85 **Version.** 220–240 V **EAN No.** 4002395193479
Cat No. WS 24-230 DMS **Article No.** 4935 4126 24 **Version.** 220–240 V DMS **EAN No.** 4002395199181

LARGE ANGLE GRINDER

WS 24-230 E GVX

Features

ALSO AVAILABLE: **WS 24-230 GVX DMS (without Line lock out and Soft start function)**

- Powerful 2400 watt motor
- AVS: additional handle and motor housing for more comfort handling and less strain on body joints
- Epoxy-coated field windings and armature – prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- Rotating rear handle providing optimum comfort and versatility
- FIXTEC nut for fast and easy disc changing
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Line lock out function for increased user protection
- Soft start for smooth startup

Specification

Power input	**2400 watt**
No load speed	**6600 rpm**
Cutting depth	**68 mm**
Grinding disc Ø	**230 mm**
Spindle thread	**M14**
Weight	**5,3 kg**

Standard Equipment – 4 m cable, FIXTEC nut, anti-vibration additional handle and safety guard

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. WS 24-230 E GVX **Article No.** 4935 4079 80 **Version.** 220–240 V **EAN No.** 4002395193462
Cat No. WS 24-230 GVX DMS **Article No.** 4935 4126 33 **Version.** 220–240 V DMS **EAN No.** 4002395199204

DIE GRINDER

GS 500 E

Features

- High speed, one handed die grinder
- Variable speed electronic
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1,3 kg
- Ergonomic switch

Specification

Power input	**500 watt**
No load speed	**10.000–29.000 rpm**
Collet diameter	**6 mm**
Max. grinding wheel diameter	**40 mm (at 80 m/sec)**
Max. grinding pin diameter	**20 mm (at 45 m/sec)**
Weight	**1,3 kg**

Standard Equipment – Key, 6 mm collet, 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.3kg | 500 W | 10000–29000 RPM | 4M

Cat No. GS 500 E **Article No.** 4935 4129 85 **Version.** 220–240 V **EAN No.** 4002395192939

DIE GRINDER

GSL 600 E

Features

- Variable speed electronic
- Long spindle for easy access to awkward places
- Double bearing spindle seating for smooth rotation
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1,9 kg
- Ergonomic switch

Specification

Power input	**600 watt**
No load speed	**10.000–29.000 rpm**
Collet diameter	**6 mm**
Max. grinding wheel diameter	**40 mm (at 80 m/sec)**
Max. grinding pin diameter	**20 mm (at 45 m/sec)**
Weight	**1,9 kg**

Standard Equipment – Key, 6 mm collet, 4 m cable

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.9kg | 600 W | 10000–29000 RPM | 4M

Cat No. GSL 600 E **Article No.** 4935 4129 65 **Version.** 220–240 V **EAN No.** 4002395192946

POLISHER — PE 150

Features

- 1200 watt polisher
- Variable speed electronics for various materials and finishes
- Special gearing for high spindle torque and ideal polishing speed
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch

Specification

Power input	**1200 watt**
No load speed	**900–2500 rpm**
Polishing disc Ø	**150 mm**
Spindle thread	**M14**
Weight	**2,1 kg**

Standard Equipment – 4 m cable, additional handle, cap, and backing pad

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. PE 150 **Article No.** 4935 4122 66 **Version.** 220–240 V **EAN No.** 4002395198443

RIGHT ANGLE SANDER — SE 12-180

Features

- 1200 watt sander with full wave electronics
- Variable speed electronics for various materials and finishing
- High motor torque and optimum speed range for sanding,
  especially for fine surface work
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch

Specification

Power input	**1200 watt**
No load speed	**1800–4800 rpm**
Grinding disc Ø	**180 mm**
Spindle thread	**M14**
Weight	**2,5 kg**

Standard Equipment – 4 m cable, additional handle with guard, flange nut, flexible backing pad

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. SE 12-180 **Article No.** 4935 4122 79 **Version.** 220–240 V **EAN No.** 4002395198481

ABRASIVE METAL CHOPSAW

SMT 355

Features

- Powerful 2300 watt motor
- -45°/0°/45° mitre capacity with quick release mitre clamp
- Spindle lock for easy wheel and accessory changing
- Deflector protects the user from sparks
- Oversize guard for added safety
- On board wrench storage
- Rubber feet for greater stability
- Replaceable carbon brushes

Specification

Power input	**2300 watt**
No load speed	**3800 rpm**
Wheel diameter	**355 mm**
Bore diameter	**25,4 mm**
Weight	**16,5 kg**



Standard Equipment – 4 m cable, 355 mm cutting disc, spanner

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. SMT 355 **Article No.** 4935 4117 70 **Version.** 220-240 V **EAN No.** 4002395129638

POWER THROUGH WOOD

AEG POWERTOOLS woodworking range offers a comprehensive selection of high performance machines to take on the most varied, professional applications. All of these tools offer ease of use, reliability, durability and features to ensure professional efficiency and best results.

THE WOODWORKING RANGE

ROUTERS
PLANER
JIGSAWS
CIRCULAR SAWS
RECIPROCATING SAWS
SANDERS
TABLE SAW
MITRE SAW AND LEGSTAND
DUST EXTRACTION
HEAT GUNS

AEG POWERTOOLS

AEG

COMBO ROUTER

MF 1400 KE

Features

- 2 routers in one for maximum flexibility in all kinds of application
- Soft start to prevent sudden kickback
- Integrated electronics maintain constant speed under load
- Variable speed electronics for optimum control in a wide range of materials
- Large soft-grip handles for decreased vibration and greater comfort
- Flat motor housing with integrated rubber feet for convenient upside down bit change with spindle lock
- Premium collet and shaft design minimises run out
- Built in LED for unparalleled workplace illumination
- Through table depth adjustment for ultimate convenience

PLUNGE BASE

FIXED BASE

Standard Equipment – 5 guide bushes, 3 dust extraction adaptors, parallel guide, 2 collets (8/12 mm), 2 keys, oval base, round base, chip shield and contractors bag

Specification

Power input	**1400 watt**
Collet capacity	**8/12 mm**
Plunge capacity	**64 mm**
No load speed	**10.000–23.000 rpm**
Weight	**5,7 kg**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

5.7kg | 1400 W | 4M

Cat No. MF 1400 KE **Article No.** 4935 4118 50 **Version.** 220-240 V **EAN No.** 4002395193295

ROUTER

OF 2050 E

Features

- Powerful 2050 watt motor
- Electronic variable speed control
- Plunge depth set by calibrated dial
- Micro depth adjustment
- 3-stage depth stop lock
- Vertical depth adjustment scales

Specification

Power input	**2050 watt**
Collet capacity	**6/8/12 mm**
Plunge capacity	**66 mm**

No load speed	**10.000–20.000 rpm**
Weight	**6,2 kg**

Standard Equipment – 4 m cable, 6/8/12 mm collet, spanner, parallel guide, 4 guide bushes, router bit and dust adaptor

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

6.2kg | 2050 W | 4M

Cat No. OF 2050 E **Article No.** 4935 4036 65 **Version.** 220-240 V **EAN No.** 4002395125869

PLANER

PL 750

Features

- Powerful 750 watt motor
- Left and right chip ejection for greater convenience
- Heel shoe protects the base, blade and work surface
- 0,2 mm stage depth adjustment setting for greater control and accuracy
- Depth scale indicator

Specification

Power input	**750 watt**
No load speed	**16.000 rpm**
Cutting depth	**2 mm**

Cutting width	**82 mm**
Max. rebate	**12 mm**
Weight	**2,9 kg**

Standard Equipment – 2 blades, edge guide, dust bag, key

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

2.9kg | 750 W | 82 mm | 2.0 mm | 4M

Cat No. PL 750 **Article No.** 4935 4191 40 **Version.** 220-240 V **EAN No.** 4002395130481

PALM JIGSAW

PST 500 X

Features

- Powerful 450 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- LED light for cut line visibility
- Pendulum function
- Unique palm design for use in tight spaces and easy handling
- Dust blower keeps cut line clear for accuracy

Specification

Power input	**450 watt**	Pendulum settings	**1 Stage**
No load stroke rate	**3680 spm**	Max. cutting depth in wood/steel/plastic	**13/5/15 mm**
Mitre cutting angle to	**45°**	Weight	**1,6 kg**
Stroke	**15 mm**		

Standard Equipment – Clear dust cap, splintering device, 1 saw blade, 4 m cable and contractors bag

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. PST 500 X **Article No.** 4935 4282 60 **Version.** 220–240 V **EAN No.** 4002395194315

TOPHANDLE JIGSAW

STEP 90 X

Features

- Powerful 600 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4-Stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic design with integrated soft-grip for comfortable handling
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Base plate can be moved backwards for cutting close to edges and for precise mitre cuts to 45°

Specification

Power input	**600 watt**	Pendulum settings	**4 Stages**
No load stroke rate	**1000–3200 spm**	Max. cutting depth in wood/steel/aluminium	**100/8/15 mm**
Mitre cutting angle to	**45°**	Weight	**2,0 kg**
Stroke	**19 mm**		

Standard Equipment – 4 m cable, blade, anti-splintering guard, dust cap and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. STEP 90 X **Article No.** 4935 4129 10 **Version.** 220–240 V **EAN No.** 4002395192816

BODYGRIP JIGSAW — ST 800 XE

Features

- Powerful 705 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4-Stage pendulum adjustment
- Variable speed electronics for control
- AVS anti-vibration mechanism for user comfort
- Ergonomic slimline bodygrip design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Base plate can be moved backwards for cutting close to edges

Standard Equipment – 4 m cable, blade, anti splintering guard, sliding shoe, dust cap and kitbox

Specification

Power input	**705 watt**
No load stroke rate	**600–2700 spm**
Mitre cutting angle to	**45°**
Stroke	**26 mm**
Pendulum settings	**4 Stages**
Max. cutting depth in wood/steel/aluminium	**110/10/25 mm**
Weight	**2,3 kg**

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE

2.3kg | 705 W | 26mm | AVS | FIX TEC | 4M

Cat No. ST 800 XE **Article No.** 4935 4129 50 **Version.** 220-240 V **EAN No.** 4002395192892

TOPHANDLE JIGSAW — STEP 1200 BX

Features

- Powerful 600 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4-Stage pendulum adjustment
- Variable speed electronics for control
- AVS anti-vibration mechanism for user comfort
- Ergonomic top handle design with integrated soft-grip
- Sawdust blower keeps cutting line clear for accuracy
- Base plate can be moved backwards for sawing close to edges and for precise mitre cuts to 45°

Standard Equipment – 4 m cable, blade, anti splintering guard, sliding shoe, dust cap, suction adaptor and kitbox

Specification

Power input	**600 watt**
No load stroke rate	**500–3000 spm**
Mitre cutting angle to	**45°**
Stroke	**26 mm**
Pendulum settings	**4 Stages**
Max. cutting depth in wood/steel/aluminium	**110/10/30 mm**
Weight	**2,4 kg**

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE

2.4kg | 600 W | 26mm | AVS | FIX TEC | 4M

Cat No. STEP 1200 BX **Article No.** 4935 4128 19 **Version.** 220-240 V **EAN No.** 4002395192694

BODYGRIP JIGSAW — STEP 1200 XE

Features

- Powerful 730 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4-Stage pendulum adjustment
- Variable speed selection for correct speed to match the material and blade
- Soft start prevents sudden kick back of machine on start up
- Integrated electronics allows constant speed under load
- AVS anti-vibration mechanism for user comfort
- Ergonomic and very slim body grip design with integrated soft-grip zone
- Dust extraction port
- Sawdust blower keeps cutting line clear for accuracy
- Adjustable dust extraction (front or back) over switch
- Base plate can be moved backwards for cutting close to edges and for precise mitre cuts to 45°

Standard Equipment – 4 m cable, 1 saw blade, anti splintering guard, dust cap, suction adaptor and kitbox

Specification

Power input	**730 watt**
No load stroke rate	**500–3000 spm**
Mitre cutting angle to	**45°**
Stroke	**26 mm**
Pendulum settings	**4 Stages**
Max. cutting depth in wood/steel/aluminium	**135/10/30 mm**
Weight	**2,4 kg**

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE

2.4kg

730 W | 26mm | FIX TEC | AVS | 4M

Cat No. STEP 1200 XE **Article No.** 4935 4128 78 **Version.** 220-240 V **EAN No.** 4002395192762

MULTI CONSTRUCTION MATERIAL SAW

MBS 30 Turbo

Guide Rail 1,4 m
Article No. 4932 3525 58
EAN No. 4002395372164

Unique on board active dust collection – patent pending

Features

- 75% dust collection efficiency – best in class!
- Comes complete with all dust collection components
- Height adjustment – for precise depth setting
- Powerful 1010 watt motor for cutting a wide range of materials quickly and easily
- Ergonomic inline motor design, well balanced for extended use
- Dust sealed gearbox design for optimal performance in dusty environments
- Lightweight magnesium guards and base for less user fatigue during extended use
- Spindle lock for quick and easy blade changes

Specification

Power input	**1010 watt**
No load speed	**9000 spm**
Cutting depth 90°/45°	**31/26 mm**
Saw blade/Arbor Ø	**127/20 mm**
Weight	**3,4 kg**

Standard Equipment – Premium 6 tooth fibre cement saw blade, premium 40 tooth saw blade for accurate cuts in wood, diamond disc for tiles, granite, ceramic, cover & clamp for dust free job site (for 10 l bucket), hose 2,60 m for dust extraction, second flange for diamond disc, edge guard, allen key for quick saw blade change, delivered in box

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE



Cat No. MBS 30 Turbo **Article No.** 4935 4118 20 **Version.** 220-240 V **EAN No.** 4002395193240

PLUNGESAW

TS 55 E

Features

- Powerful 1500 watt motor
- Smooth plunge action for precision cuts
- 55 mm cutting capacity (50 mm with guide rail)
- 0–45° bevel capacity
- Works with all common guide rails
- Soft-grip handle for comfort

Specification

Power input	**1500 watt**
No load speed	**0–1500 spm**
Mitre cutting angle to	**45°**
Max. cutting depth at 90°	**55 mm**
Max. cutting depth at 45°	**50 mm**
Saw blade/Arbor Ø	**160/20 mm**
Weight	**4,6 kg**

Guide Rail 1,4 m
Article No. 4932 3525 58
EAN No. 4002395372164

Standard Equipment – 4 m cable, 48 tooth TCT blade, spanner and kitbox

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE



Cat No. TS 55 E **Article No.** 4935 4192 90 **Version.** 220-240 V **EAN No.** 4002395133130

165 MM CIRCULAR SAW

KS 55 C

Features

- Powerful 1200 watt motor
- 0–50° bevel capacity with 45° positive position stop
- High strength composite shoe for durability
- Externally accessible brushes for easy replacement
- Integrated dust blower keeps cut line clear for accuracy
- Soft-grip handle for comfort

Standard Equipment – Contractors bag, 4 m cable, parallel fence, 24 tooth TCT blade, spanner

Specification

Power input	**1200 watt**
No load speed	**6100 spm**
Bevel	**0–50°**
Cutting depth 90/45/50°	**54/45/38 mm**
Saw blade/Arbor Ø	**165/20 mm**
Weight	**3,7 kg**

Adaptor to fit saw on guide rail
Article No. 4931 4165 18
EAN No. 4002395828807

Guide Rail 1,4 m
Article No. 4932 3525 58
EAN No. 4002395372164

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. KS 55 C **Article No.** 4935 4118 30 **Version.** 220–240 V **EAN No.** 4002395193141

185 MM CIRCULAR SAW

KS 66 C

Features

- Powerful 1600 watt motor for heavy duty applications
- 56° bevel capacity with 45° positive position stop
- Magnesium upper and lower guard offers lightweight high strength
- Full length kerf indicator for accurate cutting
- Externally accessible brushes for easy replacement
- Integrated dust blower keeps cut line clear for accuracy
- Soft-grip handle for comfort

Standard Equipment – Contractors bag, 4 m cable, parallel fence, 24 tooth TCT blade, spanner

Specification

Power input	**1600 watt**
No load speed	**5800 spm**
Bevel	**56°**
Cutting depth 90/45/56°	**61/49/35 mm**
Saw blade/Arbor Ø	**185/30 mm**
Weight	**4,8 kg**

Guide Rail 1,4 m
Article No. 4932 3525 58
EAN No. 4002395372164

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. KS 66 C **Article No.** 4935 4118 40 **Version.** 220–240 V **EAN No.** 4002395193172

MINI RECIPROCATING SAW — US 400 XE

Features

- Innovative design for confined spaces
- Extremely compact design
- Operational with one hand with exceptional balance
- 3500 strokes per minute and 13 mm stroke length for fast cutting applications
- FIXTEC – for fast and easy keyless blade change
- Built-in LED
- 2-Finger variable speed trigger

Specification

Power input	**400 watt**
No load stroke rate	**0–3500 spm**
Length of stroke	**13 mm**
Weight	**1,7 kg**

Standard Equipment – 4 m cable, 3 blades and contractors bag

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

1.7kg | 400 W | 13mm | FIX TEC | 4M

Cat No. US 400 XE **Article No.** 4935 4118 14 **Version.** 220–240 V **EAN No.** 4002395193219

RECIPROCATING SAW — US 900 XE

Features

- Powerful 900 W motor, for fast cuts in various materials
- Pendulum function with 19 mm stroke length, for more powerful and faster cutting progress
- Speed regulation from 0–3500 spm, especially needed for heat-sensitive materials
- FIXTEC – for fast and easy keyless blade change
- 24 % lighter than other saws, for better work control
- One hand blade insertion
- Soft-grip handle, for better ergonomics

Specification

Power input	**900 watt**
No load stroke rate	**0–3500 spm**
Length of stroke	**19 mm**
Weight	**2,9 kg**

Standard Equipment – 4 m cable, 3 blades and contractors bag

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

2.9kg | 900 W | 19 mm | FIX TEC | 4M

Cat No. US 900 XE **Article No.** 4935 4196 10 **Version.** 220–240 V **EAN No.** 4002395193806

RECIPROCATING SAW — US 1300 XE

Features

- Powerful 1300 watt motor
- FIXTEC blade clamp for fast and easy blade change
- Variable speed switch for increased cutting control and efficiency
- Adjustable shoe for prolonged blade life
- Ergonomic soft-grip handle design for comfort
- Blades can be turned 180° for various applications

Specification

Power input	**1300 watt**
No load stroke rate	**0–2800 spm**
Length of stroke	**30 mm**
Weight	**3,8 kg**

Standard Equipment – 4 m cable, 2 blades and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

3.8kg | 1300 W | 30 mm | FIX TEC | 4M

Cat No. US 1300 XE **Article No.** 4935 4132 35 **Version.** 220–240 V **EAN No.** 4002395197675

RANDOM ORBIT SANDER — EX 125 ES

Features

- Ergonomic & compact 300 watt random orbit sander
- Ideal for working in confined spaces and over head
- Variable speed for optimum control
- Pad brake control: pad brake for a gauge free workpiece
- Convenient hook & loop paper fastening
- Very efficient dust extraction over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Soft-grip on handle

Specification

Power input	**300 watt**
No load speed	**7000–15.000 rpm**
Oscillation rate	**14.000–30.000 opm**
Oscillation diameter	**2 mm**
Sanding disc size	**125 mm**
Weight	**1,5 kg**

Standard Equipment – 4 m cable, 3 sheets (80, 120, 180 grit) sanding pads and dust bag

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE



Cat No. EX 125 ES **Article No.** 4935 4161 00 **Version.** 220-240 V **EAN No.** 4002395129799

RANDOM ORBIT SANDER — EX 150 E

Features

- Dual orbits for control of material removal
- Variable speed for optimum control
- Soft start and pad brake for a gauge free workpiece
- Through-body sealed slide switch for reliability and ease of use
- Convenient hook & loop paper fastening
- Dust extraction, with dust bag or absorption system
- Diecast construction for strength and durability

Specification

Power input	**440 watt**
No load speed	**4000–10.000 rpm**
Oscillation rate	**8000–20.000 opm**
Oscillation diameter	**3,2/6,4 mm**
Sanding disc size	**150 mm**
Weight	**2,8 kg**

Standard Equipment – 4 m cable, 3 x 80 grit sanding pads, dust bag and pommel handle

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE



Cat No. EX 150 E **Article No.** 4935 4132 00 **Version.** 220-240 V **EAN No.** 4002395197606

PALM DELTA SANDER — FDS 140

Features

- Extremely compact 280 watt sheet sander
- Ideal for working in confined spaces and over head
- Delta base for sanding in corners
- Hook & loop and large release tabs for convenient paper changing
- Magnesium base for more stability and less vibration
- Dust extraction with dust bag or absorption system
- Soft-grip on handle

Specification

Power input	**280 watt**
No load speed	**15.000 rpm**
Oscillation rate	**20.000 opm**
Oscillation diameter	**1,6 mm**
Sanding disc size	**115 x 140 mm**
Weight	**1,5 kg**

Standard Equipment – 4 m cable, 3 sheets (60, 80, 120 grit) sanding pad, delta base plate and dust bag

AEG 3 ANNÉES YEARS JAHRE POWERTOOLS WARRANTY · GARANTIE



Cat No. FDS 140 **Article No.** 4935 4160 90 **Version.** 220-240 V **EAN No.** 4002395129768

½ SHEET SANDER — FS 280

Features

- Powerful 440 watt motor
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Dust extraction, with dust bag or absorption system

Specification

Power input	**440 watt**
Oscillation rate	**14.000–26.000 opm**
Sanding surface	**115 x 280 mm**
Weight	**3,0 kg**

Standard Equipment – 4 m cable, 3 sheets (80, 120, 240 grit) sanding pads, dust bag and pommel handle, bag

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. FS 280 **Article No.** 4935 4192 80 **Version.** 220–240 V **EAN No.** 4002395133116

BELT SANDER — HBS 1000 E

Features

- Powerful 1010 watt motor
- Electronic speed for control and optimum results
- Clamping lever for easy, tool free changing of sanding belt
- Externally accessible brushes for easy replacement
- Control wheel for precise adjustment of sanding belt
- Compact design, ideal for sanding close to edges
- Die-cast construction for high strength and durability
- Dust extraction, with dust bag or absorption system

Specification

Power input	**1010 watt**
Belt length	**533 mm**
Belt speed	**240–450 m/min**
Sanding surface	**75 x 145 mm**
Belt width	**75 mm**
Weight	**5,1 kg**

Standard Equipment – 4 m cable, 1 x 80 grit sanding belt, dust bag, pommel handle and kitbox

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

Cat No. HBS 1000 E **Article No.** 4935 4132 05 **Version.** 220–240 V **EAN No.** 4002395197613

BELT SANDER — BBSE 1100

Features

- Powerful 1100 watt motor
- Extra-large sanding surface 100 x 140 mm
- Full-wave electronics with pre-selection of belt speed
- Control wheel for precise adjustment of belt alignment
- Dust extraction, with dust bag or absorption system

Specification

Power input	**1100 watt**
Belt length	**560 mm**
Belt speed	**230–400 m/min**
Sanding surface	**100 x 140 mm**
Belt width	**100 mm**
Weight	**5,0 kg**

Standard Equipment – 4 m cable, 1 x 100 grit sanding belt and dust bag

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. BBSE 1100 **Article No.** 4935 4135 30 **Version.** 220–240 V **EAN No.** 4002395199037

TABLE SAW

TS 250 K

Features

- Powerful 1800 watt motor
- 4800 rpm for effortless accurate cutting
- 90 mm cutting depth (53 mm at 45°)
- Dual clamping parallel fence for high stability and accuracy
- Overload protection ensures durability
- Soft start
- Integrated table side extension up to 645 mm gives huge cutting capacity
- Collapsible stand with wheels and height adjustment for easy transportation and portability
- On board storage for all tools and spare blades

Specification

Power input	**1800 watt**
Blade diameter	**254 x 30 mm**
No load speed	**4800 rpm**
Mitre capacity (left/right)	**45°**
Depth of cut 90/45°	**90/62 mm**
Weight	**41,0 kg**

Standard Equipment – 36 tooth TCT blade, rip fence, mitre gauge and fence, collapsible stand with wheels, push stick, wrench

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

41 kg | 1800 W

Cat No. TS 250 K **Article No.** 4935 4192 65 **Version.** 220-240 V **EAN No.** 4002395133093

SLIDING COMPOUND MITRESAW — PS 305 DG

Features

- Powerful 1800 watt motor delivers 4400 rpm
- Large cutting capacities include a massive maximum crosscut of 343 x 111 mm at 90°
- Double bevel 0–47° left or right
- Mitres 60° left or right, perfect for awkward mitres
- Rugged cast construction with huge table area
- Cam operated mitre lock for fast angle adjustment

Specification

Power input	**1800 watt**
Blade diameter	**305 x 30 mm**
No load speed	**4400 rpm**
Mitre capacity (left/right)	**60°**
Depth of cut	**111 mm**
Crosscut capacity	**343 mm**
Weight	**31,0 kg**

Standard Equipment – 60 tooth 305 mm blade

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE



Cat No. PS 305 DG **Article No.** 4935 4115 70 **Version.** 220–240 V **EAN No.** 4002395126002

UNIVERSAL MITRE SAW LEGSTAND — PSU 2500

Features

- Extendable to 2,5 m
- Folds in half for easy transportation and storage
- Lightweight construction for portability
- 250 kg maximum load

Cat No. PSU 2500 **Article No.** 4935 4115 85 **EAN No.** 4002395129621

25 L VAC — AP 250 ECP

Standard Equipment – Tool adaptor, hand tube, 2 x extension tube, floor nozzle, crevice nozzle, hose 32 mm x 3,5 m, fleece filter bag, disposal bag

30 L VAC — AP 300 ELCP

Standard Equipment – Tool adaptor, hand tube, 2 x extension tube, floor nozzle, crevice nozzle, hose 32 mm x 3,5 m, fleece filter bag, disposal bag, accessory box

Product	Specification	Features	Application	Art. No. 4935-	EAN No. 4002395-
AP 250 ECP	**Power input max. –** 1400 watt **Air volume –** 3600 l/min **Max. vacuum –** 190 mbar **Container capacity –** 25 l **Suction hose diameter/length –** 32 mm x 3,5 m **Weight –** 6,0 kg	• CLEAR-PRESS filter cleaning system • Wet & dry cleaning • Wet overfill protection • Click system – easy to change accessories • Fleece double wall filter bag and disposal bag	Wet & dry dust extraction in external environments, wet cleaning, general cleaning	**411880**	131051
AP 300 ELCP Dust class L standard MAK-factor > 1 mg/m³	**Power input max. –** 1500 watt **Air volume –** 3700 l/min **Max. vacuum –** 250 mbar **Container capacity –** 30 l **Suction hose diameter/length –** 32 mm x 3,5 m **Weight –** 10,0 kg	• CLEAR-PRESS filter cleaning system • PET filter cartridge • Automatic operation when used with powertools • Dust class L for dust rated up to 1 mg/m³ • Low noise fan for silent cleaning • Wet & dry cleaning • Fleece double wall filter bag and disposal bag	Wet & dry dust extraction in external environments, wet cleaning, general cleaning	**411890**	131068

DUST BUSTING POWER!!!

CLEAR-PRESS FILTER CLEANING SYSTEM EXPLAINED:

Accessories	AP 250 ECP	AP 300 ELCP	Art. No. 4932-	EAN No. 4002395-
Filter cartridge	•		**352303**	369621
Filter cartridge		•	**352304**	369638
Filter bags: 5 pcs (4 x fleece filter bags, 1 x fleece wet filter with rubber band)	•		**352306**	369652
Filter bags: 5 x fleece filter bags. Capacity 30 l		•	**352307**	369669
Extension hose, anti static. 4 m long 36 mm diameter with tool adaptor		•	**352311**	369706
Extension hose. 3,5 m long 32 mm diameter with tool adaptor	•	•	**352312**	369713

HEAT GUN — HG 560 D

Features

- 2 temperature adjustment modes 300°/560°
- 400–450 l/min
- Reinforced fan for continuous use
- Extremely light product – 0,6 kg
- Rubber overmold on back end for safe stationnary use

Specification

Power input	**1500 watt**
Air flow	**400–450 l/min**
Temperature control	**300/560° C**
Weight	**0,85 kg**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

NEW

0.85kg | 1500 W

Cat No. HG 560 D **Article No.** 4935 4410 15 **Version.** 220–240 V **EAN No.** 4002395134991

HEAT GUN — HG 600 V

Features

- Electronic precise adjustement of temp from 90° up to 600°
- 300–500 l/min
- Reinforced fan for continuous use
- Extremely light product – 0,9 kg
- Rubber overmold on back end for safe stationnary use

Specification

Power input	**2000 watt**
Air flow	**300–500 l/min**
Temperature control	**90–600° C**
Weight	**0,9 kg**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

NEW

0.9kg | 2000 W

Cat No. HG 600 V **Article No.** 4935 4410 25 **Version.** 220–240 V **EAN No.** 4002395135011

HEAT GUN — HG 600 VK

Features

- Electronic precise adjustement of temp from 90° up to 600°
- 300–500 l/min
- Reinforced fan for continuous use
- Extremely light product – 0,9 kg
- Delivered in case with 3 nozzles
- Rubber overmold on back end for safe stationnary use

Specification

Power input	**2000 watt**
Air flow	**300–500 l/min**
Temperature control	**90–600° C**
Weight	**0,9 kg**

AEG POWERTOOLS 3 ANNÉES YEARS JAHRE WARRANTY · GARANTIE

NEW

0.9kg | 2000 W

Cat No. HG 600 VK **Article No.** 4935 4410 35 **Version.** 220–240 V **EAN No.** 4002395135035

POWER SET SDS-PLUS DRILL BITS

- High quality 2 cutter carbide tip with 130° tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated flute eliminates binding for faster drilling and high abrasion resistance
- High quality robust and compact power set with secure lock
- Made in Germany

	Art. No. 4932-	EAN No. 4002395-
Counter display (12 x sets)	**352315**	369744
Single Power Set SDS-Plus Drill Bits (8pcs) Contents: Ø 5 / 6 / 8 x 110 mm and Ø 6 (2pcs) / 8 / 10 / 12 x 160 mm	**352236**	368952

POWER SET STONE DRILL BITS

- Extra sharp diamond ground carbide tip with 130° angle
- Polished silver and black finish eliminates binding for faster cutting and material removal
- Made from special alloy steel for best precision and robustness
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352238**	368976
Single Power Set Stone Drill Bits (10pcs) Contents: Ø 5 / 5.5 / 6 (2pcs) / 7 / 8 (2pcs) / 9 / 10 mm	**352239**	368983

POWER SET HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- Oxide coating for improved swarf removal
- Normal point cutting tip with 118° angle
- Standard type N flute design
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352240**	368990
Single Power Set HSS-R Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm / Ø 3 (2pcs) x 61 mm / Ø 3.5 (2pcs) x 70 mm / Ø 4 (2pcs) x 75 mm / Ø 4.5 (2pcs) x 80 mm / Ø 5 (2pcs) x 86 mm / Ø 6 (2pcs) x 93 mm / Ø 7 x 109 mm / Ø 8 x 117 mm / Ø 9 x 125 mm / Ø 10 x 133 mm	**352241**	369003

POWER SET HSS-G (DIN 338) METAL DRILL BITS

- Fully ground drill bits according to DIN 338
- Standard tip for cutting geometry with 118° angle
- Standard type N flute design for faster chip removal and faster cutting
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352242**	369010
Single Power Set HSS-G Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm / Ø 3 (2pcs) x 61 mm / Ø 3.5 (2pcs) x 70 mm / Ø 4 (2pcs) x 75 mm / Ø 4.5 (2pcs) x 80 mm / Ø 5 (2pcs) x 86 mm / Ø 6 (2pcs) x 93 mm / Ø 7 x 109 mm / Ø 8 x 117 mm / Ø 9 x 125 mm / Ø 10 x 133 mm	**352243**	369027

POWER SET HSS-G TIN DRILL BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Titanium nitride coating increases cutting speed by 50% and lifetime by 300%
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352244**	369034
Single Power Set HSS-G TiN Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2,5 (2 pcs) x 57 mm / Ø 3 (2 pcs) x 61 mm / Ø 3,5 (2 pcs) x 70 mm / Ø 4 (2 pcs) x 75 mm / Ø 4,5 (2 pcs) x 80 mm / Ø 5 (2 pcs) x 86 mm / Ø 6 (2 pcs) x 93 mm / Ø 7 x 109 mm / Ø 8 x 117 mm / Ø 9 x 125 mm / Ø 10 x 133 mm	**352245**	369041

POWER SET LIP & SPUR WOOD DRILL BITS

- Manufactured from chrome vanadium steel according to DIN 7487 E
- Center point guarantees precise positioning
- Sharpened shoulders provide for clean holes avoiding splintering
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352246**	369058
Single Power Set Lip & Spur Wood Drill Bits (8pcs) Contents: Ø 3 x 60 mm / Ø 4 x 75 mm / Ø 5 x 85 mm / Ø 6 x 97 mm / Ø 7 x 104 mm / Ø 8 x 117 mm / Ø 9 x 120 mm / Ø 10 x 133 mm	**352247**	369065

POWER SET HSS-G (DIN 338) METAL DRILL BITS & SCREWDRIVING BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Screwdriving bits are milled from S2 steel
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352248**	369072
Single Power Set HSS-G & Screwdriving bits (35pcs) Contents: Ø 2 / 2,5 / 3 / 3,2 / 3,5 / 4 / 4,5 / 6 / 8 / 10 mm **25 mm length:** PH1 (2pcs) / PH2 (2pcs) / PH3 (2pcs) / PZ1 (2pcs) / PZ2 (2pcs) / PZ3 (2pcs) / TX10 (2pcs) / TX15 (2pcs) / TX20 (2pcs) / TX25 (2pcs) / TX30 / TX40 **50 mm length:** PH2 / PZ2 ¼" Hex magnetic bit holder	**352249**	369089

POWER SET JIGSAW BLADES FOR WOOD & METAL

- Wood applications:
  T144D – Fast cutting
  T101B – Very clean, splinter free cutting
- Metal applications:
  T118A – Cutting of thin sheet material Ø 1,5–4 mm
  T118B – Cutting of thicker material 3–6 mm
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352252**	369119
Single Power Set Jigsaw Wood & Metal (50pcs) Contents: 10 x T 144 D / 10 x T 101 B / 15 x T 118 A / 15 x T 118 B	**352253**	369126

POWER SET SCREWDRIVING BITS

COLDfire® Cryogenically Treated

- Coldfire is a special hardening treatment for making metals stronger , tougher and more durable. This cryogenic process is a one-time permanent treatment affecting the entire screwdriving bit and it is not just a surface coating. The cryogenic process consists of two steps, firstly the bit is hardened by heating it up to 870° and then freezing the bit down to -148° using a dry nitrogen atmosphere. The result of this process is a bit with exceptional durability
- + 40% stronger - bit tips hold their form and will accept higher torque forces
- + 45% longer life - over the lifetime of a bit one can expec to drive 45% more screws

	Art. No. 4932-	EAN No. 4002395-
Counter display (6 x sets)	**352254**	369133
Single Power Set Screwdriving Bits (40pcs) Contents: **25 mm length:** PH1 / PH2 (2pcs) / PH3 / PZ1 (2pcs) / PZ2 (2pcs) / PZ3 (2pcs) / TX6 / TX7 / TX8 / TX9 / TX10 (2pcs) / TX15 (2pcs) / TX20 (2pcs) / TX25 (2pcs) / TX30 / TX40 / Hex 3 / Hex 4 / Hex 5 / Hex 6 / SL 0,6 x 4,5 / SL 0,8 x 5,5 / SL 1,0 x 5,5 / SL 1,2 x 6,5 **50 mm length:** PH1 / PH2 / PZ1 / PZ2 / TX10 / TX15 / TX20 ¼" Hex magnetic bit holder	**352255**	369140

PROFI-BOX HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- 118° cutting tip angle
- Oxide coating for improved swarf removal
- Robust metal box

	Art. No. 4932-	EAN No. 4002395-
Counter display (10 x sets)	**352460**	368976
Single Profi-Box HSS-R Drill Bits (19pcs) Contents: Ø 1 – 10 mm in 0,5 mm incrementals	**352459**	371181

PROFI-BOX HSS-G (DIN 338) METAL DRILL BITS

- Fully ground drill bits according to DIN338
- 118° cutting tip angle
- Robust metal box

	Art. No. 4932-	EAN No. 4002395-
Counter display (10 x sets)	**352462***	371211
Single Profi-Box HSS-G Drill Bits (19pcs) Contents: Ø 1 – 10 mm in 0,5 mm incrementals	**352461***	371204

MAXI-MIX DRILL BITS

- Fully ground drill bits according to DIN 338
- Standard tip for cutting geometry with 118° angle
- Standard type N flute design for faster chip removal and faster cutting
- High quality robust and compact power set with secure lock

	Art. No. 4932-	EAN No. 4002395-
Counter display (10 x sets)	**352464**	371235
Single Maxi-Mix Drill Bits (18pcs) Contents: Stone drill bits: Ø 3 / 4 / 5 / 6 / 8 / 10 mm HSS-R drill bits: Ø 3 / 4 / 5 / 6 / 8 / 10 mm Wood drill bits: Ø 3 / 4 / 5 / 6 / 8 / 10 mm	**352463**	371228

* while stocks last

WB1 SET – SCREWDRIVER ANGLE ATTACHMENT WITH 10 SCREWDRIVING BITS

- Contents: WB1 and screwdriving bits 25 mm PH1 / PH2 / PZ1 / PZ2 (2pcs) / TX15 / TX20 / Hex 4 / Hex 5
- Being only 30 mm high it is ideally suited to working in confined and limited spaces
- Fits to all machines. The ¼" Hex shank fits directly into the chuck preventing slippage
- Magnetic ¼" Hex reception. Accepts standard ¼" Hex screwdriving bits
- Adjustable to working situation. 360° variable thumb lever for extra grip
- Industrial quality up to 11 Nm torque and 400 min^{-1}
- Tough gears made of special hardened steel

	Art. No. 4932-	EAN No. 4002395-
Counter display (12 x WB1 Sets)	**430173**	378340
Single WB1 – screwdriver angle attachment with 10 screwdriving bits	**430174**	378357

MAXI-BIT SCREWDRIVING SET

	Art. No. 4932-	EAN No. 4002395-
Counter display (20 x sets)	**399494**	361144
Single Maxi-Bit screwdriving set (10pcs) Contents: SL 0,6 x 4,5 / SL 0,8 x 5,5 / SL 1,5 x 6,5 / PH1 / PH2 / PH3 / PZ1 / PZ2 / PZ3 ¼" Hex magnetic bit holder	**399493**	361151

PROFI-BIT SCREWDRIVING SET

	Art. No. 4932-	EAN No. 4002395-
Counter display (20 x sets)	**399496**	361168
Single Profi-Bit screwdriving set (17pcs) Contents: SL 0,8 x 5,5 / SL 1,2 x 6,5 / PH1 / PH2 (2pcs) / PH3 / PZ1 / PZ2 (2pcs) / PZ3 / TX10 / TX15 / TX20 / TX25 / TX30 / TX40 ¼" Hex magnetic bit holder	**399495**	361175

FIXTEC NUTS

- FIXTEC: Disc changing in seconds, no extra tools required
- 12 seconds from removing the worn disc to fixing a new disc
- Only 8 mm thin, enabling more surface of disc on the material
- Compatible to all manufacturers angle grinders up to 150 mm with standard M14 spindle thread
- With integrated keyholes, for removal of the nut with a standard pin spanner in the event of the nut becoming too tight

	Art. No. 4932-	EAN No. 4002395-
Counter display (12 x FIXTEC Nut)	**358936**	326693
Single FIXTEC Nut	**358225**	325528

RETRO SCREWDRIVING BITS

- COLDFIRE quality bits. + 40% stronger – bit tips hold their form and will accept higher torque forces; + 45% longer life – over the lifetime of a bit one can expect to drive 45% more screws
- New merchandising concept – Compact Tin box with best seller assortment
- Collectable box with 2 new box designs a year
- Metal counter display – open type display for good product visibility

	Art. No. 4932-	EAN No. 4002395-
Counter display (20 x sets)	**430004***	376650
Single Retro Bits box (9pcs) Contents: SL 0,6 x 4,5 / SL 0,8 x 5,5 / PH2 / PZ2 / PZ3 / TX25 / Hex 4 / Hex 5 ¼″ Hex magnetic bit holder	**430003***	376643

MULTIMIX SET 75PCS – DRILLING AND SCREWDRIVING SET

	Art. No. 4932-	EAN No. 4002395-
Contents: Screwdriving bits 25 mm length 1 x PH 0 / 1 x PH 1 / 3 x PH 2 / 1 x PH 3 / 1 x PZ 0 / 1 x PZ 1 / 3 x PZ 2 / 1 x PZ 3 / 1 x SQ 1 / 1 x SQ 2 / 1 x SQ 3 / 1 x TX 10 / 1 x TX 15 / 1 x TX 20 / 1 x TX 25 / 1 x TX 30 / 1 x TX 40 / 1 x Hex 4 / 1 x Hex 5 / 1 x Hex 6 / 1 x SL 3 / 1 x SL 4 / 1 x SL 5 / 1 x SL 6 / 1 x SL 7 / 1 x SL 8 ¼″ Hex magnetic bit holder Screwdriving bits 50 mm length 1 x PH 2 / 1 x PZ 2 / 1 x SL 4 / 1 x SL 6 / 1 x SL 8 Nut drivers 1 x 5 mm / 1 x 6 mm / 1 x 7 mm / 1 x 8 mm / 1 x 10 mm / 1 x 12 mm Metal drill bits HSS-R DIN 338 2 x 1 mm / 1 x 1,5 mm / 1 x 2 mm / 1 x 2,5 mm / 1 x 3 mm / 1 x 3,5 mm / 1 x 4 mm Lip & Spur wood drill bits 3 x 3 mm / 3 x 4 mm / 2 x 5 mm / 1 x 6 mm / 1 x 7 mm / 1 x 8 mm / 1 x 10 mm Countersink with ¼″ Hex reception 45° Masonry drill bits 1 x 4 mm / 1 x 5 mm / 3 x 6 mm / 1 x 6,5 mm / 2 x 7 mm / 1 x 8 mm / 1 x 10 mm / 1 x 12 mm	**352670**	373284

* while stocks last

SDS-PLUS DRILL BITS – 2 CUT / 10 PIECE POWER PACKS

High quality 2 cutter carbide tip with 130° tip angle. The carbide tip is set deeper into the head for a more precise fit and better durability. 2 flute geometry for rapid material removal. Surface treated flute eliminates binding for faster drilling and high abrasion resistance. Made in Germany.

Ø mm	A mm	B mm	Quantity	Art. No. 4932-	EAN No. 4002395-
5	110	50	10	**352256**	369157
5,5	110	50	10	**352257**	369164
6	110	50	10	**352258**	369171
6	160	100	10	**352259**	369188
7	160	100	10	**352260**	369195
8	110	50	10	**352261**	369201
8	160	100	10	**352262**	369218
8	210	150	10	**352263**	369225
10	160	100	10	**352264**	369232
10	210	150	10	**352265**	369249
10	260	200	10	**352266**	369256
12	160	100	10	**352267**	369263
12	210	150	10	**352268**	369270
Power Set 8pcs – SDS-plus drill bits with Ø 5 / 6 / 8 x 110 mm and Ø 6 (2 pcs) / 8 / 10 / 12 x 160 mm				**352236**	368952
SDS-plus Starter Set with Ø 6 / 8 / 10 x 160 mm, point chisel and flat chisel				**352653**	373116

SDS-MAX DRILL BITS – 2 CUT

Ø mm	A mm	B mm	Quantity	Art. No. 4932-	EAN No. 4002395-
16	540	400	1	**352687**	373451
18	540	400	1	**352688**	373468
20	520	400	1	**352689**	373475
22	520	400	1	**352690**	373482
25	520	400	1	**352691**	373499
28	570	450	1	**352692**	373505
30	570	450	1	**352693**	373512
32	570	450	1	**352694**	373529



SDS-PLUS CHISELS

Description	A mm	B mm	Quantity	Art. No. 4932-	EAN No. 4002395-
Point chisel	200	–	1	**352269**	369287
Flat chisel	200	20	1	**352270**	369294
Wide chisel	200	35	1	**352271**	369300
Set of 3 SDS-plus chisels with 1 pointed, 1 flat, 1 wide chisel				**352272**	369317



SDS-MAX CHISELS

Description	A mm	B mm	Quantity	Art. No. 4932-	EAN No. 4002395-
Point chisel	400	–	1	**352685**	373437
Flat chisel	400	25	1	**352686**	373444



ROUTER BIT SET

Description	Quantity	Art. No. 4932-	EAN No. 4002395-
8 mm shank	12	**354236**	320639

MASONRY DRILL BITS

Carbide tip with diamond ground cutting edges with 130° angle – For drilling in brick and aerated concrete blocks

Ø mm	A mm	B mm	Quantity	Art. No. 4932-	EAN No. 4002395-
4	75	40	1	**363591**	332410
5	85	50	1	**363593**	332434
5,5	85	50	1	**363595**	332458
6	100	60	1	**363597**	332472
6	150	85	1	**367032**	333967
7	100	60	1	**363599**	332496
8	120	80	1	**363600**	332502
8	200	135	1	**363612**	332366
10	120	80	1	**363602**	332526
10	200	135	1	**363613**	332373
12	150	85	1	**363604**	332540
Power Set 10pcs – masonry drill bits with Ø 4/5/5,5/6 (2 pcs)/7/8 (2 pcs)/9/10 mm				**352239**	368983



HIGH PERFORMANCE BI-METAL HOLESAWS / SYSTEM ACCESSORIES

Ø mm	Ø Inch	Art. No. 4932-	EAN No. 4002395-	Ø mm	Ø Inch	Art. No. 4932-	EAN No. 4002395-	Ø mm	Ø Inch	Art. No. 4932-	EAN No. 4002395-
14	9/16	**367244**	335947	38	1 1/2	**367257**	336081	73	2 7/8	**367272**	336234
16	5/8	**367245**	335954	40	1 9/16	**367258**	336098	76	3	**367273**	336241
19	3/4	**367247**	335978	43	1 11/16	**367259**	336104	79	3 1/8	**367274**	336258
20	25/32	**367248**	335985	44	1 3/4	**367260**	336111	83	3 1/4	**367275**	336265
21	13/16	**367249**	335992	48	1 7/8	**367262**	336135	89	3 1/2	**367277**	336289
22	7/8	**367250**	336005	51	2	**367263**	336142	92	3 5/8	**367278**	336296
24	15/16	**367251**	336012	54	2 1/8	**367265**	336166	98	3 7/8	**367280**	336319
25	1	**367252**	336029	57	2 1/4	**367266**	336173	102	4	**367281**	336326
27	1 1/16	**367253**	336036	60	2 3/8	**367267**	336180	105	4 1/8	**367282**	336333
29	1 1/8	**367289**	336043	64	2 1/2	**367268**	336197	114	4 1/2	**367284**	336357
30	1 3/16	**367254**	336050	65	2 9/16	**367269**	336203	121	4 3/4	**367285**	336364
32	1 1/4	**367255**	336067	68	2 11/16	**371580**	345250	127	5	**367286**	336371
35	1 3/8	**367256**	336074	70	2 3/4	**367271**	336227	152	6	**367288**	336395

	Art. No. 4932-	EAN No. 4002395-
FIXTEC arbor 5/8″ x 18 → 11 mm Hex for holesaws Ø 32 – 152 mm	**367421**	337422
Arbor ½″ x 20 → Light duty arbor ½″ x 20 Hex 9 for holesaws Ø 14 – 30 mm	**367422**	337439
Pilot drill bit long For use with arbor 4932367421	**367423**	337446
Pilot drill bit short For use with arbor 4932367422	**367424**	337453



JIGSAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (toothed) mm	Tooth pitch mm	Ref. No.	Quantity	Application	DEPTH OF CUT (mm)							Art. No. 4932-	EAN No. 4002395-
3521 44 AEG													
75	3	T 111 C	5	Rough cutting	5–60	-	-	< 40	-	-	-	**352144**	367979
3521 45 AEG													
50	1,35	T 101 AO	5	Fast, clean, curve cutting	< 20	-	< 20	< 15	-	-	-	**352145**	367986
3521 46 AEG													
75	4	T 244 D	5	Rough, curve cutting	< 60	-	-	-	-	-	-	**352146**	367993
3521 47 AEG													
75	4	T 144 D	5	Fast, rough cutting	< 60	-	-	-	-	-	-	**352147**	368006
3521 48 AEG													
75	2,5	T 101 B	5	Very clean, splinter free cutting	< 30	< 60	-	< 30	-	-	-	**352148**	368013
3521 49 AEG													
75	4	T 101 D	5	Fast, clean, splinter free cutting	< 60	< 60	-	< 45	-	-	-	**352149**	368020
3521 50 AEG													
55	1,2	T 118 A	5	For thin sheet metal	-	-	-	-	1,5–4	1,5–4	-	**352150**	368037
3521 51 AEG													
55	2	T 118 B	5	Rougher cuts in metal	-	-	-	-	3–6	3–6	3–10	**352151**	368044
				12 piece set in container									
				Suitable for applications in wood, cutting worktops and laminate flooring and metals								**373494**	349944
				Power Set 50pcs – jigsaw blades for wood and metal									
				10 x T 144 D, 15 x T 118 A, 10 x T 101 B, 15 x T 118 B								**352253**	369126

RECIPROCATING SAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (toothed) mm	Tooth pitch mm	Ref. No.	Quantity	Application	Art. No. 4932-	EAN No. 4002395-
						
150	2,5	S811H	3	All woods, nail embedded wood, plaster board 3–100 mm, non-ferrous metals, aluminium 3–10 mm, plastic pipes	**318127**	301959
150	4,2	S744D	2	Fast scroll cutting 6–100 mm	**323801**	304240
						
150	4	S644D	2	Fast cutting of wood and plastic, plunge cutting, 6–100 mm	**323800**	304233
240	8,5	S1542K	2	Special hardened teeth design, fast coarse cut, as well for green and fire wood, 20–180 mm	**323804**	304271
						
300	4,2	S1344D	2	Fast cutting large timbers and plastic, clean cut, 6–250 mm	**323802**	304257
						
150	1,4	S922EF	3	For all metals with a wall thickness between 1,5–4 mm	**354792**	324477
						
150	1,8	S922BF	3	For all metals with a wall thickness between 3–10 mm	**354789**	324446
						
230	Coarse grit	S1130R	2	For abrasive materials, fibreglass materials (polyesters, epoxies, melamines), cast iron pipes	**373386**	348817

GUIDE RAIL

Description	Art. No. 4932-	EAN No. 4002395-
GR 1400 Guide rail 1400 mm long. Supplied with carry-bag. **Adaptors to fix guide rail to following machines: MBS 30:** 4931 4118 18, **KS 55 C** (only suitable for machines with production date after 6/2010) / **KS 66 C** (only suitable for machines with production date after 8/2011): 4931 4165 18, **CS 60:** 4931 4165 18	**352558**	372164
Connector piece For combining two guide rails together	**352559**	372171
Clamps Set of 2 clamps for fixing the guide rail to the work material	**352560**	372188

CIRCULAR SAW BLADES

	A mm	B mm	Number of teeth	Cutting width (kerf) mm	Fibre cement board	Chipboard	MDF / Fibreboard	Laminated chipboard	Plywood & OSB boards	Plastics	Plasterboard	Non ferrous	Clean / Fine cut	Art. No. 4932-	EAN No. 4002395-
①	127	20	6	1,8	✓						✓		✓	**352534**	371921
②	127	20	40	1,8		✓	✓	✓	✓	✓			✓	**352535**	371938
③	160	20	48	2,2		✓	✓	✓	✓	✓	✓		✓	**352868**	375264
④	160	20	48	2,2						✓		✓	✓	**352869**	375271
	165	20	24	2,6		✓	✓	✓	✓	✓	✓			**430311**	379729
	165	20	52	2,8		✓	✓	✓	✓	✓	✓		✓	**430312**	379736
⑤	184	30	24	1,8		✓	✓	✓	✓	✓	✓		✓	**352874**	375325

ATTACHMENTS

Description	Art. No. 4932-	EAN No. 4002395-
Xtractor	**373501**	351862

The ideal dust extraction solution.

The Xtractor can be used with all household vacuum cleaners and industrial dust extraction units with a hose diameter from 26–41 mm.



SYSTEM ACCESSORIES – HOT AIR GUNS

Description	Qty	Art. No. 4932-	EAN No. 4002395-
① Flat jet nozzle	1	**312435**	300518
② Round jet nozzle Ø 12 mm	1	**312436**	300525

ACCESSORIES FOR OSCILLATING TOOL

Universal blade reception makes AEG blades compatible with most popular oscillating tools.



Description	A mm	B mm	Qty	Art. No. 4932-	EAN No. 4002395-
① **Bi-Metal plunge cutting blade** Application: Wood, metal, PVC. Plunge cutting in wood / steel / copper /aluminium.	28	40	1	**430315**	379767
② **Plunge cutting blade** Application: Wood, PVC. Plunge cutting in soft and hard wood, PVC. Recess cutting in wood. Flush cutting to length in wood.	28	40	1	**430316**	379774
③ **Plunge cutting blade** Application: Wood, PVC. Plunge cutting in soft and hard wood, PVC. Blade sits flush when cutting in door jambs. Recess cutting in wood.	9	40	1	**430317**	379781
④ **Flush cutting blade** Application: Wood, metal, PVC. Plunge cutting in solid wood. Flush cutting in wood. Cutting steel / copper /aluminium / metal pipes and profiles with small dimensions. Cutting PVC pipes to length.	88	20	1	**430319**	379804
⑤ **Grout removal blade** Application: Grout, mortar, soft tiles. Routing grout joints on wall and floor tiles.	85	20	1	**430318**	379798
⑥ **9pc Set:** 2 x bimetal plunge cutting blades 2 x plunge cutting blades 28 mm 2 x plunge cutting blades 9 mm 1 x flush cutting blade 1 x scraper 1 x grout blade			9	**430314**	379750
⑦ **Washer Set** to fit Bosch keyless oscillating tool to fit Dremel keyless oscillating tool			1	**4931441298**	872541

*Every blade pack contents both washers

Description	Grit	A x B mm	Qty	Art. No. 4932-	EAN No. 4002395-
⑧ **Sanding pad**		93 x 93	1	**430320**	379811
⑨ **10pc Set:** Sanding paper Hook & Loop 4 x Grit 60 3 x Grit 80 3 x Grit 120 Application: Wood, PVC. Sanding small areas, e.g. in corners, along edges, in restricted areas and tight spaces, sanding down of surface blemishes.	60 / 80 / 120	93 x 93	10	**430321**	379828



ABRASIVE PAPER – HOOK & LOOP FOR FDS 140

Perforated sanding discs for wood, metal, paint, lacquer, plaster.
Grit type: fused alumina, half-open. Artificial resin-bonded on special tear-resistant paper.

Grit	A mm	B mm	Qty	Art. No. 4932-	EAN No. 4002395-
60	115	107	10	**352420**	370795
80	115	107	10	**352421**	370801
120	115	107	10	**352422**	370818
240	115	107	10	**352423**	370825



ABRASIVE PAPER – CLAMP TYPE FOR FDS 140

Perforated sanding discs for wood, metal, paint, lacquer, plaster.
Grit type: fused alumina, half-open. Artificial resin-bonded on special tear-resistant paper.

Grit	A mm	B mm	Qty	Art. No. 4932-	EAN No. 4002395-
60	115	140	10	**352424**	370832
80	115	140	10	**352425**	370849
120	115	140	10	**352426**	370856
240	115	140	10	**352427**	370863



ABRASIVE DELTA PAPER – HOOK & LOOP FOR FDS 140

Grit	A mm	B mm	Qty	Art. No. 4932-	EAN No. 4002395-
60	110	88	10	**352925**	375837
80	110	88	10	**352926**	375844
120	110	88	10	**352927**	375851
240	110	88	10	**352928**	375868



BASE PLATES

Description	Ø mm	No. of holes	Art. No. 4932-	EAN No. 4002395-
Base plate for EX 125 ES Complete with rubber ring as spare.	125	8	**352870**	375288
Base plate for EX 150 E Complete with rubber ring as spare.	150	6	**352871**	375295

INDEX

CORDLESS SYSTEMS 06–27

18 V POWER 10–15
BSB 18 Li 18 V Premium Hammerdrill/Driver 10
BSB 18C Li 18 V Compact Hammerdrill/Driver 10
BSB 18 G2 Li 18 V Hammerdrill/Driver 11
BS 18 G2 Li 18 V Drill/Driver 11
BS 18C Li 18 V Ultra Compact Drill/Driver 12
BSS 18C Li 18 V Ultra Compact Impact Driver 12
BBH 18 Li 18 V SDS-PLUS Hammer 13
BUS 18 Li 18 V Pendulum Action Reciprocating Saw 13
BKS 18 Li 18 V Heavy Duty Circular Saw 14
BST 18X-0 18 V Heavy Duty Jigsaw 14
BEWS 18-125 18 V Heavy Duty Angle Grinder 15

14,4 V POWER 16–18
BSB 14C Li 14,4 V Compact Hammerdrill/Driver 16
BSB 14 G2 Li 14,4 V Hammerdrill/Driver 16
BS 14C Li 14,4 V Compact Drill/Driver 18
BS 14 G2 Li 14,4 V Drill/Driver 18

12 V POWER 19–24
BSB 12 G2 NiCd 12 V Hammerdrill/Driver 19
BS 12 G2 NiCd 12 V Drill/Driver 19
OMNIPRO 20–21
BSB 12C2 Li 12 V 2-speed Ultra Percussion Drill 22
BS 12C2 Li 12 V Ultra Compact Drill/Driver 22
BS 12C Li 12 V Ultra Compact Drill/Driver 23
BSS 12C Li 12 V Ultra Compact Impact Driver 23
BBH 12 Li 12 V Cordless Hammer 24

3,6 V POWER 25
SE 3.6 Li 3,6 V Inline Screwdriver 25

SPECIALS 25
Flashlights/Battery Lamps 12/14,4/18 V 25

BATTERIES & CHARGERS 26–27

BATTERIES 27
L1830R 18 V Li-Ion 3,0 Ah 27
L1815R 18 V Li-Ion 1,5 Ah 27
B1814G 18 V NiCd 1,4 Ah 27
B1817G 18 V NiCd 1,7 Ah 27
L1430R 14,4 V Li-Ion 3,0 Ah 27
L1415R 14,4 V Li-Ion 1,5 Ah 27
M1430R 14,4 V NiMH 3,0 Ah 27
B1414G 14,4 V NiCd 1,4 Ah 27
L1215 12 V Li-Ion 1,5 Ah 27
M1230R 12 V NiMH 3,0 Ah 27
B1214G 12 V NiCd 1,4 Ah 27
SL 3.6 3,6 V Li-Ion 1,5 Ah 27
SB 3.6 3,6 V NiCd 1,4 Ah 27

CHARGERS 27
AL 1214G 12–14,4 V 27
AL 1218G 12–18 V 27
BL 1218 12–18 V 27
LL 1230 12 V 27
LA 036 3,6 V 27

HAMMER SYSTEMS 28–37

CORDLESS HAMMERS 30
BBH 12 Li 12 V Cordless Hammer 30
BBH 18 Li 18 V Cordless Hammer 30

ROTARY HAMMERS 31
BH 22 E SDS-PLUS Rotary Hammer 31
BH 24 E SDS-PLUS Rotary Hammer 31

COMBI HAMMERS 31–36
KH 24 XE SDS-PLUS Combi Hammer 31
KH 26 E SDS-PLUS Combi Hammer 32
BH 26 LXE SDS-PLUS Combi Hammer 32
KH 28 Super XE SDS-PLUS Combi Hammer 33
PN 3500 X SDS-PLUS Combi Hammer 34
KH 5 E SDS-MAX Combi Hammer 35
PN 11 E SDS-MAX Large Combi Hammer 36

CHIPPING HAMMERS 34–35
PM 3 SDS-PLUS Chipping Hammer 34
MH 5 E SDS-MAX Chipping Hammer 35

LARGE DEMOLITION HAMMERS 36
PM 10 E SDS-MAX Large Demolition Hammer 36

DRILLING SYSTEMS 38–45

ROTARY DRILLS 40
BE 650 R Rotary Drill 40
BE 705 R Rotary Drill 40
B4-1050 ST Rotary Drill 40

PERCUSSION DRILLS 41–43
SBE 500 R Percussion Drill 41
SBE 570 R Percussion Drill 41
SBE 600 R Percussion Drill 41
SBE 650 R Percussion Drill 42
SB2-650 Percussion Drill 42
SB2E 750 RX ST High Torque Percussion Drill 42
ERGOMAX L-Shape Percussion Drill 43
SB 20-2E Percussion Drill 43
SB 22-2E Percussion Drill 43

DIAMOND DRILLS 44
DB 1500-2 E Dry Diamond Drill 44

WALL CHASERS 44
MFE 1500 Wall Chaser 44

SCREWDRIVERS 45
S 2500 E Self Drilling Screwdriver 45
S 4000 E Drywall Screwdriver 45

METALWORKING 46–59

SMALL ANGLE GRINDERS 49–53
WS 6-115 Small Angle Grinder 49
WS 6-125 Small Angle Grinder 49
WS 9-115 Small Angle Grinder 50

INDEX

WS 9-125 Small Angle Grinder 50
WS 11-115 Small Angle Grinder 51
WS 11-125 Small Angle Grinder 51
WS 12-125 XE Small Angle Grinder 52
WSC 14-125 MX Small Angle Grinder 53
WSE 14-125 MX Small Angle Grinder 53

LARGE ANGLE GRINDERS 54–56
WS 21-180 E Large Angle Grinder 54
WS 21-230 E Large Angle Grinder 54
WS 21-230 E GVX Large Angle Grinder 54
WS 24-180 E Large Angle Grinder 55
WS 24-230 E Large Angle Grinder 55
WS 24-230 E GVX Large Angle Grinder 56

DIE GRINDERS 57
GS 500 E Die Grinder 57
GSL 600 E Die Grinder 57

POLISHERS 58
PE 150 Polisher 58

SANDERS 58
SE 12-180 Right Angle Sander 58

ABRASIVE/METAL CHOPSAWS 59
SMT 355 Abrasive Metal Chopsaw 59

WOODWORKING **60–74**
ROUTERS 62–63
MF 1400 KE Combo Router 62
OF 2050 E Router 63

PLANERS 63
PL 750 Planer 63

JIGSAWS 64–65
PST 500 X Palm Jigsaw 64
STEP 90 X Tophandle Jigsaw 64
ST 800 XE Bodygrip Jigsaw 65
STEP 1200 BX Tophandle Jigsaw 65
STEP 1200 XE Bodygrip Jigsaw 65

CIRCULAR SAWS 66–67
MBS 30 Turbo Multi Construction Material Saw 66
TS 55 E Plungesaw 66
KS 55 C 165 mm Circular Saw 67
KS 66 C 185 mm Circular Saw 67

RECIPROCATING SAWS 68
US 400 XE Mini Reciprocating Saw 68
US 900 XE Reciprocating Saw 68
US 1300 XE Reciprocating Saw 68

SANDERS 69–70
EX 125 ES Random Orbit Sander 69
EX 150 E Random Orbit Sander 69
FDS 140 Palm Delta Sander 69
FS 280 ½ Sheet Sander 70
HBS 1000 E Belt Sander 70
BBSE 1100 Belt Sander 70

TABLE SAWS 71
TS 250 K Table Saw 71

MITRE SAWS 72
PS 305 DG Sliding Compound Mitre Saw 72

MITRE SAW LEGSTANDS 72
PSU 2500 Universal Mitre Saw Legstand 72

VACUUM CLEANERS 73
AP 250 ECP 25 l Vac 73
AP 300 ELCP 30 l Vac 73

HEAT GUNS 74
HG 560 D Heat gun 74
HG 600 V Heat gun 74
HG 600 VK Heat gun 74

ACCESSORIES **75–85**
ACCESSORY SETS / COUNTER DISPLAYS 75–79
SDS-PLUS DRILL BITS – 2 Cut / 10 Piece Power Pack 80
SDS-MAX DRILL BITS – 2 Cut 80
SDS-PLUS CHISELS 80
SDS-MAX CHISELS 80
ROUTER BIT SET 80
MASONRY DRILL BITS 81
BI-METAL HOLESAWS/SYSTEM ACCESSORIES 81
JIGSAW BLADES WOOD / PLASTICS / METAL 82
RECIPROCATING SAW BLADES WOOD / PLASTICS / METAL 82
GUIDE RAIL 83
CIRCULAR SAW BLADES 83
ATTACHMENTS 83
SYSTEM ACCESSORIES – HOT AIR GUNS 83
ACCESSORIES FOR OSCILLATING TOOL OMNIPRO 84
ABRASIVE PAPER – HOOK & LOOP 85
ABRASIVE PAPER – CLAMP TYPE 85
ABRASIVE DELTA PAPER – HOOK & LOOP 85
BASE PLATES 85

AEG
POWERTOOLS

CORDLESS/HAMMERS/DRILLING METALWORKING/WOODWORKING ACCESSORIES

AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

AEG POWER TOOLS
P.O. Box 320
D-71361 Winnenden
Germany

Tel.: +49 71 95 12-0
Fax: +49 71 95 12-666

A&M Middle East
P.O Box 61254
Jebel Ali Free Zone South
Dubai, UAE

Tel: +97148861399
Fax: +97148861400

www.aeg-powertools.com

EPTA

© AEG POWERTOOLS

AEG POWERTOOLS reserve the right to change all data including images, specifications and service and warranty information without notice. AEG POWERTOOLS will hold no liability for printing errors or mistakes.

4939 XXXX 00